

OFFICIAL NOTICE
BY ORDER OF THE DIRECTOR OF PUBLIC
UTILITIES AND AVIATION

PUBLISHED IN THE CITY BULLETIN ON JULY 29, 1989
EFFECTIVE: SEPTEMBER 18, 1989

Rules and Regulations for Control of discharge of
Trucked Wastes to the City Sewerage System.

Pursuant to the authority granted under Columbus City Codes Section 1147.18 paragraph b, the Director of the Department of Public Utilities and Aviation hereby adopts, establishes, and publishes these rules and regulations to be effective at the earliest time allowed by law. These rules and regulations are in addition to any requirements presently established or as may be established from time to time by ordinance or resolution of other offices, boards, commissions, agencies, divisions, or departments of the City.

Waste Hauler Discharge Regulations

Location

All trucked wastes are to be discharged only to the Trucked Waste Disposal Site (TWDS) provided by the Division of Sewerage and Drainage at 1600 Deckenbach Road, or other location(s) as may be designated in writing by the Division of Sewerage and Drainage.

Hours of Operation

The site will be open for discharging during such hours as may be determined by the Administrator of the Division of Sewerage and Drainage, and posted at the TWDS. No load will be accepted later than fifteen (15) minutes before closing time.

Prior to Dumping

- 1) All drivers will report in to the Trucked Waste Disposal Site office on arrival at the site.
- 2) All loads will be accompanied by a properly completed manifest form, on the form provided by the City.
- 3) All loads will be sampled. The driver will be responsible for collecting the sample using a sample cup provided by the City and obtained from the City representative.
- 4) Loads accompanied by an incomplete or invalid manifest can be rejected. Loads can be rejected for the following manifest omissions:
 - 1) phone number for the waste generator
 - 2) zip code and township for the generator
 - 3) signature of the generator
- 5) All trucks will be charged as full loads unless the driver demonstrates otherwise. Sight tubes, volume gauges, floats, and dip stick demonstrating free board will be accepted to demonstrate quantity. All volume devices must be kept in proper working order. A city representative may accept manifested volume as the delivered volume when warranted.
- 6) Non-domestically produced waste will be accepted only from generators which are located geographically within the City's Pretreatment boundaries and meet Program requirements. Non-Domestic waste will require prior approval. The Special Waste Evaluation Report Form (SWERF) procedure will be followed. Fees for SWERF evaluation will be charged in accordance with rates established and in current use for Surveillance Laboratory's normal billings for equivalent services for the public.
- 7) Grease will be accepted only from generators located within Franklin County and contiguous counties.
- 8) No load may be discharged without prior approval of a City representative.

Dumping Procedures

- 1) All wastes will be discharged to the dumping hole.
- 2) All drivers will carry and use dump hose which extends below the ground surface.
- 3) Each driver is responsible for cleaning the dump area when finished. All trucks will carry a hose for cleaning the area.

Misclassification

- 1) Each load will be sampled.
- 2) Some samples, randomly selected, will be analyzed for verification of billing classification.
- 3) Misclassification by the hauler will result in the discharge being billed at the actual appropriate rate as determined by analysis results.
- 4) Repeated misclassification could result in more frequent analysis of wastes from that particular hauler.
- 5) Any findings of misclassification will cause the hauler to be charged analysis costs. Minimum charges are \$50.00 per sample plus the customary lab fees including for any required additional parameters.

By Order of
Michael D. Long
Director of Public Utilities and Aviation
Effective September 18, 1989.