TABLE 1: DEMOGRAPHICS¹ Franklin County, 2016

Age	Percent
Median age (years)	34.0
Under 5 years	7.3
5 to 17 years	16.3
18 to 24 years	9.9
25 to 44 years	31.3
45 to 54 years	12.4
55 to 64 years	11.4
65 to 74 years	6.9
75 to 84 years	3.0
85 years and over	1.4
Race and Ethnicity	Percent
Non-Hispanic Population	94.7
White	64.1
Black or African American	21.9
American Indian/Alaskan Native	0.2
Asian	4.9
Native Hawaiian/Other Pacific Islander	0.0
Other race	0.2
Two or more races	3.3
Hispanic or Latino origin (any race)	5.3
Country of Birth	Percent
Born in the United States	90.0
Foreign Born	10.0
Naturalized citizen	47.0
Not a naturalized citizen	53.0
Language Spoken at Home	Percent
English only	86.8
Language other than English	13.2

TABLE 2: SOCIAL DETERMINANTS¹ Franklin County, 2016

Poverty Status	Percent
Below Federal Poverty (100% FPL)	
All	16.7%
Under 5 years	29.6%
Under 18 years	24.4%
18 to 64 years	15.2%
65 years and older	9.0%
Education (25 years and older)	
Less than 9th grade	2.8%
9th to 12th grade, no diploma	6.4%
High school graduate (includes equivalency)	25.5%
Some college, no degree	19.1%
Associate's degree	7.0%
Bachelor's degree	25.1%
Graduate or professional degree	14.0%
Employment Status (16 years and older)	
In labor force	70.2%
Civilian labor force	
Employed	66.3%
Unemployed	3.8%
Armed Forces	0.1%
Not in labor force	29.8%
Health Insurance Coverage (Civilian non-institution	nalized population)
With health insurance coverage	92.9%
With private health insurance	69.2%
With public coverage	32.6%
No health insurance coverage	7.1%

TABLE 3: MATERNAL AND INFANT HEALTH Franklin County, 2015

Franklin County, 2015	
Fetal Death Rate ²	Rate
All	5.9
Non Hispanic Black	9.9
Non Hispanic White	3.4
Low Birth Weight ²	Percent
All	8.9
Non Hispanic Black	11.6
Non Hispanic White	7.7
Preterm Births ²	Percent
All	10.6
Non Hispanic Black	12.4
Non Hispanic White	10.0
Teen Birth Rate ²	Rate
All	11.5
Non Hispanic Black	16.4
Non Hispanic White	7.8
Infant Mortality Rate ²	Rate
All	7.6
Non Hispanic Black	11.6
Non Hispanic White	5.7
Average NAS Rate (2011-2015) ³	
All	14.2
Preconception Health (Women 18 to 44 years) ⁴	Percent
Health care coverage	87.6
Check-up within the past year	70.5
Influenza vaccine within the past 12 months	35.7
General health status (good or better health)	87.2
Ever diagnosed with hypertension	14.6
Ever diagnosed with depressive disorder	27.4
Binge drinker (>4 drinks on one occasion)	23.7
Current smokers	23.2
Overweight	27.1
Obese	26.1
Fruit consumption (<1 time per day)	38.4
Vegetable consumption (<1 time per day)	23.6

TABLE 3: MATERNAL AND INFANT HEALTH Franklin County, 2015

Preconception Health (Women 18 to 44 years) ⁴	Percent
Met both aerobic and strengthening guidelines	19.6
Met aerobic guidelines only	31.5
Met strengthening guidelines only	9.3
Did not meet aerobic or strengthening physical activity guidelines	39.6

TABLE 4: HEALTH BEHAVIORS^{4,7} Franklin County. 2015

Franklin County, 2015		
Diet	Percent	
Fruit Consumption (>1 serving per day)		
All	45.8	
Females	40.8	
Males	51.0	
Non Hispanic Black	45.0	
Non Hispanic White	49.2	
Vegetable Consumption (>1 serving per day)		
All	25.7	
Females	21.5	
Males	30.2	
Non Hispanic Black	33.9	
Non Hispanic White	25.2	
Physical Activity	Percent	
Met Aerobic Guidelines		
All	31.4	
Females	31.0	
Males	31.9	
Non Hispanic Black	20.8	
Non Hispanic White	34.4	
Met Strengthening Guidelines		
All	10.9	
Females	8.0	
Males	13.9	
Non Hispanic Black	8.7	
Non Hispanic White	10.7	

TABLE 4: HEALTH BEHAVIORS^{4,7} Franklin County, 2015

Physical Activity, continued	Percent
Met Both Aerobic and Strengthening Guidelines	
All	18.2
Females	18.4
Males	18.0
Non Hispanic Black	20.9
Non Hispanic White	18.3
Did Not Meet Either Guideline	
All	39.5
Females	42.6
Males	36.2
Non Hispanic Black	49.6
Non Hispanic White	36.6
Tobacco Use	Percent
Current Smokers	
All	25.2
Females	21.0
Males	29.7
Non Hispanic Black	26.1
Non Hispanic White	24.2
Use of Any Tobacco Product in the Past Month ⁷	
All	29.8
Alcohol Use	Percent
Heavy Drinkers	
All	5.6
Females	5.1
Males	6.1
Non Hispanic Black	2.9
Non Hispanic White	6.9
Alcohol dependence or abuse in the past year ⁷	
All	7.6

TABLE 4: HEALTH BEHAVIORS^{4,7}, continued Franklin County, 2015

Illicit Drug Use ⁷	Percent
Illicit drug use in the past month	
All	13.1
Illicit drug use, other than marijuana (in the past month)	
All	4.1
Illicit drug dependence or abuse (in the past year)	
All	3.9
Marijuana use (in the past month)	
All	10.6
Marijuana use (in the past year)	
All	17.8
Non-medical use of pain relievers (in the past year)	
All	5.6
Misuse of prescription pain medication	
All	5.2
Females	6.1
Males	4.4
Prevention	
Screenings	'
Cervical cancer screening (PAP test) within the last 3 years, Femolder	ales ages 18 and
All Females	71.4
Non Hispanic Black	62.7
Non Hispanic White	72.2
Cervical cancer screening (PAP test) within the last 3 years, Fem to 64 years	ales ages 21 years
All Females	77.9
Non Hispanic Black	64.6
Non Hispanic White	79.5
	•

TABLE 4: HEALTH BEHAVIORS⁴, continued Franklin County, 2015

Prevention, continued	Percent
Screenings, continued	
Colon cancer screening, ever, adults ages 50 and old	ler
All	72.3
Females	74.2
Males	70.0
Non Hispanic Black	81.9
Non Hispanic White	70.3
HIV screening, ever tested	
All	33.2
Females	32.5
Males	34.0
Non Hispanic Black	49.2
Non Hispanic White	25.6
Mammogram within the last 2 years, females ages 40	0 and older
All Females	75.2
Non Hispanic Black	82.1
Non Hispanic White	74.0
Prostate exam within the last 2 years, males ages 40	and older
All Males	39.7
Non Hispanic Black	25.1
Non Hispanic White	44.5

TABLE 5: CHRONIC CONDITIONS⁴ Franklin County, 2015

	Percent
Ever Diagnosed with Arthritis	
All	24.9
Females	28.5
Males	21.1
Non Hispanic Black	21.6
Non Hispanic White	27.0
Currently Diagnosed with Asthma	
All	10.9
Females	13.8
Males	7.7
Non Hispanic Black	11.8
Non Hispanic White	9.5
Ever diagnosed with Asthma	
All	14.4
Females	17.2
Males	11.4
Non Hispanic Black	14.3
Non Hispanic White	13.3
Childhood Asthma (ever diagnosed; ages 0-17 years)	
All	8.7
Ever Diagnosed with Chronic Obstructive Pulmonary Disea	ase (COPD)
All	6.0
Females	7.9
Males	3.9
Non Hispanic Black	1.7
Non Hispanic White	7.4
Ever Diagnosed with Diabetes	
All	10.8
Females	10.7
Males	10.9
Non Hispanic Black	12.0
Non Hispanic White	10.3

TABLE 5: CHRONIC CONDITIONS⁴, continued Franklin County, 2015

	Percent
Every Diagnosed with Hypertension (High Blood Pre	essure)
All	31.0
Females	29.3
Males	33.0
Non Hispanic Black	32.2
Non Hispanic White	32.6
Ever diagnosed with High Cholesterol	
All	37.7
Females	40.4
Males	34.8
Non Hispanic Black	33.7
Non Hispanic White	38.0
Ever Diagnosed with Heart Disease	
All	2.1
Females	2.0
Males	2.2
Non Hispanic Black	1.5
Non Hispanic White	2.6
Ever Diagnosed with Stroke	
All	4.2
Females	3.5
Males	4.9
Non Hispanic Black	4.6
Non Hispanic White	4.6

TABLE 5: CHRONIC CONDITIONS⁴, continued Franklin County, 2015

Trankin County, 2013	
	Percent
Healthy Weight (BMI*=20.0-24.9)	
All	33.5
Females	35.0
Males	32.1
Non Hispanic Black	32.1
Non Hispanic White	34.3
Overweight (BMI*=25.0-29.9)	
All	34.6
Females	35.0
Males	34.2
Non Hispanic Black	34.3
Non Hispanic White	32.9
Obese (BMI*=30 and over)	
All	30.4
Females	27.8
Males	33.1
Non Hispanic Black	33.3
Non Hispanic White	31.2

 $^{^*}$ BMI= Body Mass Index; person's weight in kilograms divided by the square of height in meters

TABLE 5: CHRONIC CONDITIONS, continued Franklin County, 2010-2014

Leading Sites for Cancer Incidence⁵	Avg. Annual Cases	Rate
All Sites		
All	5,152	458.2
Non Hispanic Black	899	434.5
Non Hispanic White	3,894	455.0
Breast		
All	799	70.8
Non Hispanic Black	145	68.3
Non Hispanic White	616	72.4
Lung		
All	744	68.8
Non Hispanic Black	141	73.7
Non Hispanic White	585	69.3
Prostate (Males Only)		
All	643	125.9
Non Hispanic Black	755	168.4
Non Hispanic White	408	102.4
Colon and Rectum		
All	429	38.9
Non Hispanic Black	79	39.0
Non Hispanic White	318	37.5
Melanoma of the Skin		
All	227	19.7
Non Hispanic Black	1	0.9
Non Hispanic White	192	22.4

Leading Cancer Sites (Female) ⁵	Avg. Annual Cases	Rate
All	2,611	421.9
Breast	792	128.5
Lung	363	59.6
Colon and Rectum	206	33.4
Uterine	192	29.9
Thyroid	153	24.6

Leading Cancer Sites (Male) ⁵	Avg. Annual Cases	Rate
All	2,541	514.6
Prostate	643	125.9
Lung	381	81.5
Colon and Rectum	222	46.0
Bladder	152	34.5
Melanoma of Skin	126	25.5

TABLE 6: TOP 20 CAUSES OF DEATH⁶ Franklin County, 2013-2015

	Avg. Annual Number	ADR
Cancer		
All	1,988	174.7
Females	990	153.8
Males	996	205.9
Non Hispanic Black	391	191.1
Non Hispanic White	1,552	173.3
Heart Disease		
All	1,942	176.2
Females	922	139.8
Males	1,015	225.7
Non Hispanic Black	370	192.7
Non Hispanic White	1,541	174.6
Unintentional Injuries		
All	545	44.8
Females	219	33.4
Males	324	57.0
Non Hispanic Black	95	37.0
Non Hispanic White	432	47.8
Chronic Lower Respiratory Disease		
All	518	47.3
Females	299	46.7
Males	219	48.1
Non Hispanic Black	72	37.5
Non Hispanic White	441	50.6
Stroke		
All	477	44.4
Females	287	44.2
Males	190	43.6
Non Hispanic Black	101	54.4
Non Hispanic White	361	41.6

TABLE 6: TOP 20 CAUSES OF DEATH⁶, continued Franklin County, 2013-2015

	Avg. Annual Number	ADR
Diabetes		
All	293	25.8
Females	132	20.3
Males	161	32.8
Non Hispanic Black	91	45.4
Non Hispanic White	198	22.2
Alzheimer's Disease		
All	276	26.6
Females	197	29.6
Males	79	21.2
Non Hispanic Black	33	21
Non Hispanic White	240	27.8
Influenza and Pneumonia		
All	210	19.1
Females	104	15.6
Males	106	24.8
Non Hispanic Black	38	20.1
Non Hispanic White	169	19.1
Chronic Kidney Disease		
All	162	15.0
Females	80	12.3
Males	82	19.0
Non Hispanic Black	55	29.6
Non Hispanic White	103	12.0
Suicide		
All	147	11.8
Females	34	5.5
Males	113	19.1
Non Hispanic Black	19	6.8
Non Hispanic White	122	13.4

FRANKLIN COUNTY DATA INDICATORS, CONTINUED

TABLE 6: TOP 20 CAUSES OF DEATH⁶, continued Franklin County, 2013-2015

Transition Country, 2010 2010	Avg. Annual Number	ADR
Chronic Liver Disease		
All	144	11.6
Females	46	7.0
Males	98	17.0
Non Hispanic Black	25	9.8
Non Hispanic White	118	12.6
Septicemia		
All	144	12.7
Females	81	12.7
Males	63	13.1
Non Hispanic Black	33	15.8
Non Hispanic White	109	12.3
Homicide		
All	105	8.3
Females	19	3.0
Males	87	13.7
Non Hispanic Black	73	24
Non Hispanic White	29	3.2
Hypertension		
All	92	8.3
Females	53	7.9
Males	39	8.3
Non Hispanic Black	29	14.2
Non Hispanic White	62	7.1
Parkinson's Disease		
All	90	9.0
Females	39	6.2
Males	51	13.5
Non Hispanic Black	5	3.2
Non Hispanic White	84	10.4

FRANKLIN COUNTY DATA INDICATORS, CONTINUED

TABLE 6: TOP 20 CAUSES OF DEATH⁶, continued Franklin County, 2013-2015

	Avg. Annual Number	ADR
Perinatal Conditions		
All	85	6.2
Females	38	5.6
Males	47	6.8
Non Hispanic Black	46	11.4
Non Hispanic White	34	3.8
Pneumonitis		
All	61	5.7
Females	27	4.1
Males	35	8.7
Non Hispanic Black	8	4.2
Non Hispanic White	52	5.9
Benign Neoplasms		
All	54	5.1
Females	26	4.0
Males	29	6.5
Non Hispanic Black	7	3.8
Non Hispanic White	45	5.2
Birth Defects/Congenital Anomalies		
All	44	3.3
Females	20	2.9
Males	25	3.8
Non Hispanic Black	14	4.1
Non Hispanic White	28	3.2
Aortic Aneurysm		
All	40	3.6
Females	19	2.7
Males	22	4.7
Non Hispanic Black	4	2.1
Non Hispanic White	36	3.9

TABLE 6: TOP 5 CANCER SITES OF DEATH⁶ Franklin County, 2013-2015

Leading Cancer Sites (Mortality)	Avg. Annual Cases	ADR
All Sites		
All	1,988	174.7
Non Hispanic Black	391	192.7
Non Hispanic White	1544	175.8
Lung		
All	555	48.9
Non Hispanic Black	104	51.7
Non Hispanic White	440	50.0
Colon and Rectum		
All	213	15.1
Non Hispanic Black	37	18.0
Non Hispanic White	134	15.1
Breast		
All	173	14.2
Non Hispanic Black	38	17.0
Non Hispanic White	122	13.9
Pancreas		
All	163	12.0
Non Hispanic Black	29	15.2
Non Hispanic White	98	11.3
Prostate (Males only)		
All	91	21.3
Non Hispanic Black	27	39.5
Non Hispanic White	63	18.6

Leading Cancer Sites (Female)	Avg. Annual Cases	ADR
All	990	153.8
Lung	270	42.1
Breast	161	24.9
Colon and Rectum	84	13.0
Pancreas	71	11.2
Uterine	46	6.9

Leading Cancer Sites (Male)	Avg. Annual Cases	ADR
All	995	205.9
Lung	284	57.7
Prostate	91	21.3
Colon and Rectum	89	18.1
Pancreas	63	13.0
Liver	53	9.6

TABLE 7: LIFE EXPECTANCY⁶ Franklin County, 2013-2015

	Years
All	77.4
Females	79.7
Males	75.1
Non Hispanic Black	75.1
Non Hispanic White	77.9

TABLE 8: MENTAL HEALTH Franklin County, 2015

Trankin County, 2013	Percent
At least 15 POOR Mental Health Day in the Past Month	
All	12.9
Females	15.3
Males	10.2
Non Hispanic Black	12.0
Non Hispanic White	13.3
Depression ⁴	
All	21.2
Females	25.1
Males	17.0
Non Hispanic Black	9.7
Non Hispanic White	24.2
Anxiety ⁴	
All	10.4
Females	12.7
Males	7.7
Non Hispanic Black	24.6
Non Hispanic White	9.0
Had Serious Thoughts of Suicide in The Past Month ⁷	
All	4.4

TABLE 9: INFECTIOUS DISEASES Franklin County, 2014 and 2015

Number of Cases Incidence Rate	Franklin County, 2014 and 2015		
Listeriosis	Enteric Diseases ⁸	Number of Cases	Incidence Rate
Salmonellosis 148 12.0 Shiga-toxin producing Escheria coli (STEC) 46 3.7 Sexually Transmitted Infections Chlamydia* All 9,442 788.4 Females 6,283 1,022.6 Males 3,159 541.7 Black 4,136 1,623.9 White 2,123 256.0 Gonorrhea* All 3,264 272.5 Females 1,414 230.1 Males 1,850 317.2 Black 1,681 529.9 White 763 92.0 Syphilis (primary and secondary)** All 252 21.0 Females 25 4.1 Males 227 38.9 Black 128 50.3 White 107 12.9 Newly Diagnosed with HIV** 215 17.5 Females 26 4.1 Males 189 31.5 Black 103 38.6 White 85 10.5	Hepatitis A	5	0.4
Shiga-toxin producing Escheria coli (STEC) 46 3.7	Listeriosis	4	0.3
Sexually Transmitted Infections Schlamydia* Schlamyd	Salmonellosis	148	12.0
Chlamydia³ 9,442 788.4 Females 6,283 1,022.6 Males 3,159 541.7 Black 4,136 1,623.9 White 2,123 256.0 Gonorrhea³ 3,264 272.5 Females 1,414 230.1 Males 1,850 317.2 Black 1,681 529.9 White 763 92.0 Syphilis (primary and secondary)¹⁰ 39.0 20.0 Syphilis (primary and secondary)¹⁰ 252 21.0 Females 25 4.1 Males 227 38.9 Black 128 50.3 White 107 12.9 Newly Diagnosed with HIV¹¹ 215 17.5 Females 26 4.1 Males 189 31.5 Black 103 38.6 White 85 10.5 Living with HIV/AIDS¹¹ Prevalence Rate Rate 361 136.4 Males 3,781 630.1	Shiga-toxin producing <i>Escheria coli</i> (STEC)	46	3.7
All 9,442 788.4 Females 6,283 1,022.6 Males 3,159 541.7 Black 4,136 1,623.9 White 2,123 256.0 Gonorrhea® All 3,264 272.5 Females 1,414 230.1 Males 1,850 317.2 Black 1,681 529.9 White 763 92.0 Syphilis (primary and secondary)® All 252 21.0 Females 25 4.1 Males 227 38.9 Black 128 50.3 White 107 12.9 Newly Diagnosed with HIV® All 215 17.5 Females 26 4.1 Males 189 31.5 Black 103 38.6 White 85 10.5 Living with HIV/AIDS® All 4,642 377.0 Females 861 136.4 Males 3,781 630.1 Black Males 3,781 630.1 Black Males 3,781 630.1 Black 1,909 714.6	Sexually Transmitted Infections		
Females 6,283 1,022.6 Males 3,159 541.7 Black 4,136 1,623.9 White 2,123 256.0 Gonorrhea® 3,264 272.5 Females 1,414 230.1 Males 1,850 317.2 Black 1,681 529.9 White 763 92.0 Syphilis (primary and secondary) ¹⁰ 32.0 All 252 21.0 Females 25 4.1 Males 227 38.9 Black 128 50.3 White 107 12.9 Newly Diagnosed with HIV" 215 17.5 Females 26 4.1 Males 103 38.6 White 85 10.5 Living with HIV/AIDS" Prevalence Rate All 4,642 377.0 Females 861 136.4 Males 3,781 630.1	Chlamydia9		
Males 3,159 541.7 Black 4,136 1,623.9 White 2,123 256.0 Gonorrhea® 3,264 272.5 All 3,264 272.5 Females 1,414 230.1 Males 1,850 317.2 Black 1,681 529.9 White 763 92.0 Syphilis (primary and secondary)10 25 21.0 All 252 21.0 Females 25 4.1 Males 128 50.3 White 107 12.9 Newly Diagnosed with HIV11 215 17.5 Females 26 4.1 Males 189 31.5 Black 103 38.6 White 85 10.5 Living with HIV/AIDS11 Prevalence Rate All 4,642 377.0 Females 861 136.4 Males 3,781 630.1 Black 1,909 714.6	All	9,442	788.4
Black 4,136 1,623.9 White 2,123 256.0 Gonorrhea® All 3,264 272.5 Females 1,414 230.1 Males 1,850 317.2 Black 1,681 529.9 White 763 92.0 Syphilis (primary and secondary)® All 252 21.0 Females 25 4.1 Males 227 38.9 Black 128 50.3 White 107 12.9 Newly Diagnosed with HIV® All 215 17.5 Females 26 4.1 Males 189 31.5 Black 103 38.6 White 85 10.5 Vhite 85 10.5 Prevalence Rate All 4,642 377.0 Females 861 136.4 Males 3,781 630.1 Black 1,909 714.6	Females	6,283	1,022.6
White 2,123 256.0 Gonorrhea® 3,264 272.5 Females 1,414 230.1 Males 1,850 317.2 Black 1,681 529.9 White 763 92.0 Syphilis (primary and secondary)** 252 21.0 All 252 21.0 Females 25 4.1 Males 227 38.9 Black 128 50.3 White 107 12.9 Newly Diagnosed with HIV** 215 17.5 Females 26 4.1 Males 189 31.5 Black 103 38.6 White 85 10.5 Living with HIV/AIDS** Prevalence Rate All 4,642 377.0 Females 861 136.4 Males 3,781 630.1 Black 1,909 714.6	Males	3,159	541.7
Gonorrhea® 3,264 272.5 Females 1,414 230.1 Males 1,850 317.2 Black 1,681 529.9 White 763 92.0 Syphilis (primary and secondary)¹⁰ 252 21.0 All 252 21.0 Females 25 4.1 Males 227 38.9 Black 128 50.3 White 107 12.9 Newly Diagnosed with HIV¹¹ 215 17.5 Females 26 4.1 Males 189 31.5 Black 103 38.6 White 85 10.5 Living with HIV/AIDS¹¹ Prevalence Rate All 4,642 377.0 Females 861 136.4 Males 3,781 630.1 Black 1,909 714.6	Black	4,136	1,623.9
All 3,264 272.5 Females 1,414 230.1 Males 1,850 317.2 Black 1,681 529.9 White 763 92.0 Syphilis (primary and secondary)10 All 252 21.0 Females 25 4.1 Males 227 38.9 Black 128 50.3 White 107 12.9 Newly Diagnosed with HIV11 All 215 17.5 Females 26 4.1 Males 189 31.5 Black 103 38.6 White 85 10.5 Living with HIV/AIDS11 All 4,642 377.0 Females 861 136.4 Males 3,781 630.1 Black 1,909 714.6	White	2,123	256.0
Females	Gonorrhea ⁹		
Males 1,850 317.2 Black 1,681 529.9 White 763 92.0 Syphilis (primary and secondary) ¹⁰ All 252 21.0 Females 25 4.1 Males 227 38.9 Black 128 50.3 White 107 12.9 Newly Diagnosed with HIV ¹¹ 215 17.5 Females 26 4.1 Males 189 31.5 Black 103 38.6 White 85 10.5 Living with HIV/AIDS ¹¹ Prevalence Rate All 4,642 377.0 Females 861 136.4 Males 3,781 630.1 Black 1,909 714.6	All	3,264	272.5
Black 1,681 529.9	Females	1,414	230.1
White 763 92.0 Syphilis (primary and secondary) ¹⁰ 252 21.0 All 252 21.0 Females 25 4.1 Males 227 38.9 Black 128 50.3 White 107 12.9 Newly Diagnosed with HIV ¹¹ 215 17.5 Females 26 4.1 Males 189 31.5 Black 103 38.6 White 85 10.5 Living with HIV/AIDS ¹¹ Prevalence Rate All 4,642 377.0 Females 861 136.4 Males 3,781 630.1 Black 1,909 714.6	Males	1,850	317.2
Syphilis (primary and secondary)¹º All 252 21.0 Females 25 4.1 Males 227 38.9 Black 128 50.3 White 107 12.9 Newly Diagnosed with HIV¹¹ 215 17.5 Females 26 4.1 Males 189 31.5 Black 103 38.6 White 85 10.5 Living with HIV/AIDS¹¹ Prevalence Rate All 4,642 377.0 Females 861 136.4 Males 3,781 630.1 Black 1,909 714.6	Black	1,681	529.9
All 252 21.0 Females 25 4.1 Males 227 38.9 Black 128 50.3 White 107 12.9 Newly Diagnosed with HIV ^{II} All 215 17.5 Females 26 4.1 Males 189 31.5 Black 103 38.6 White 85 10.5 Prevalence Rate All 4,642 377.0 Females 861 136.4 Males 3,781 630.1 Black 1,909 714.6	White	763	92.0
Females 25 4.1 Males 227 38.9 Black 128 50.3 White 107 12.9 Newly Diagnosed with HIV" All 215 17.5 Females 26 4.1 Males 189 31.5 Black 103 38.6 White 85 10.5 Living with HIV/AIDS" Prevalence Rate All 4,642 377.0 Females 861 136.4 Males 3,781 630.1 Black 1,909 714.6	Syphilis (primary and secondary) ¹⁰		
Males 227 38.9 Black 128 50.3 White 107 12.9 Newly Diagnosed with HIV ^{II} All 215 17.5 Females 26 4.1 Males 189 31.5 Black 103 38.6 White 85 10.5 Living with HIV/AIDS ^{II} Prevalence Rate All 4,642 377.0 Females 861 136.4 Males 3,781 630.1 Black 1,909 714.6	All	252	21.0
Black 128 50.3 White 107 12.9	Females	25	4.1
White 107 12.9 Newly Diagnosed with HIV¹¹ 215 17.5 All 215 17.5 Females 26 4.1 Males 189 31.5 Black 103 38.6 White 85 10.5 Living with HIV/AIDS¹¹ Prevalence Rate All 4,642 377.0 Females 861 136.4 Males 3,781 630.1 Black 1,909 714.6	Males	227	38.9
Newly Diagnosed with HIV ¹¹ All 215 17.5 Females 26 4.1 Males 189 31.5 Black 103 38.6 White 85 10.5 Living with HIV/AIDS ¹¹ Prevalence Rate All 4,642 377.0 Females 861 136.4 Males 3,781 630.1 Black 1,909 714.6	Black	128	50.3
All 215 17.5 Females 26 4.1 Males 189 31.5 Black 103 38.6 White 85 10.5 Living with HIV/AIDS ¹¹ Prevalence Rate All 4,642 377.0 Females 861 136.4 Males 3,781 630.1 Black 1,909 714.6	White	107	12.9
Females 26 4.1 Males 189 31.5 Black 103 38.6 White 85 10.5 Prevalence Rate All 4,642 377.0 Females 861 136.4 Males 3,781 630.1 Black 1,909 714.6	Newly Diagnosed with HIV ¹¹		
Males 189 31.5 Black 103 38.6 White 85 10.5 Living with HIV/AIDS¹¹ Prevalence Rate All 4,642 377.0 Females 861 136.4 Males 3,781 630.1 Black 1,909 714.6	All	215	17.5
Black 103 38.6 White 85 10.5 Prevalence Rate All 4,642 377.0 Females 861 136.4 Males 3,781 630.1 Black 1,909 714.6	Females	26	4.1
White 85 10.5 Prevalence Rate All 4,642 377.0 Females 861 136.4 Males 3,781 630.1 Black 1,909 714.6	Males	189	31.5
Living with HIV/AIDS¹¹ Prevalence Rate All 4,642 377.0 Females 861 136.4 Males 3,781 630.1 Black 1,909 714.6	Black	103	38.6
All 4,642 377.0 Females 861 136.4 Males 3,781 630.1 Black 1,909 714.6	White	85	10.5
Females 861 136.4 Males 3,781 630.1 Black 1,909 714.6	Living with HIV/AIDS ¹¹		
Females 861 136.4 Males 3,781 630.1 Black 1,909 714.6	All	4,642	377.0
Black 1,909 714.6	Females	861	136.4
Black 1,909 714.6	Males	3,781	630.1
	Black		714.6
	White	2,275	281.1

TABLE 9: INFECTIOUS DISEASES, continued Franklin County, 2014 and 2015

Tuberculosis (TB) ¹	Number of Cases	Rate
All	49	4.0
Females	24	3.8
Males	25	4.2
Black	21	7.9
White	7	0.9
Vaccine Preventable Disease ¹		
Influenza-assosciated hospitalization	240	19.2
Measles	1	0.1
Meningococcal disease	1	0.1
Mumps	415	33.7
Pertussis	279	22.7
Rubella	0	0.0

TABLE 10: HEALTHCARE-ASSOCIATED INFECTIONS¹² Franklin County, 2014

Critical Care Only	Cases	Expected	SIR*	Interpretation:
Central Line Associated Bloodstream Infection (CLABI)	20	122	0.16	Better than
Catheter-associated Urinary Tract Infection (CAUTI)	280	196	1.43	Worse than
Hospital Wide	Cases	Expected	SIR	Interpretation:
Hospital-onset methicillin-resistent staphylococcus aureus (MRSA) Bloodstream Infection (BSIO)	68	62	1.1	No difference
Hospital-onset clostridium difficile infection (CDI)	476	556	0.86	Better than

^{*}Standardized Infection Ratio (SIR); the ratio of reported cases to cases predicted from national baseline data

[†] Indicates better, not different, or worse than the national baseline. Interpreting the Standardized Infection Ratio (SIR): The SIR compares the observed (actual) number of infections reported to CDC's National Healthcare Safety Network (NHSN) in 2014 to the predicted number of infections. The predicted number of infections is based on national aggregate data reported to NHSN during a baseline time period and is adjusted for key risk factors. The baseline time period is 2008 for CLABSI data, 2009 for CAUTI data, and 2010-2011 for MRSA and CDI. Case definitions, reporting protocols, and risk adjustment methods are available at: http://www.cdc.gov/nhsn/acute-care-hospital/index.html.

TABLE 11: SUBSTANCE ABUSE Franklin County, 2013 - 2015

1 Tall (11)		
EMS Runs for Drug Poisoning/Ingestion (2015)	Counts	Rate
All	4,329	345.8
Females	1,704	265.6
Males	2,625	430.2
Black	800	269.1
White	2,281	257.9
Unintentional Drug Overdose Deaths ²	Avg. Annual NumberN	ADR
Unintentional Drug Overdose Deaths ²		ADR 17.5
	NumberN	
All	NumberN 224	17.5
All Females	NumberN 224 74	17.5 11.4

TABLE 12: TOP 5 MECHANISMS OF INJURY¹³ Franklin County, 2010-2012

Trankin Country, 2010 2012	Number of Cases	ADR
Falls		
All	6,002	188.9
Females	3,362	185.1
Males	2,640	186.0
Non Hispanic Black	727	117.8
Non Hispanic White	4,984	205.3
Motor Vehicle/Traffic		
All	2,486	69.7
Females	1,018	54.8
Males	1,468	85.9
Non Hispanic Black	656	86.3
Non Hispanic White	1,635	65.1
Struck By/ Against		
All	1,113	30.8
Females	218	30.8
Males	895	50.2
Non Hispanic Black	378	48.5
Non Hispanic White	628	25.5
Firearm		
All	641	17.0
Females	66	3.6
Males	575	30.5
Non Hispanic Black	134	51.6
Non Hispanic White	174	6.9
Fire/Hot		
All	411	11.6
Females	130	7.2
Males	281	16.0
Non Hispanic Black	136	16.1

SOURCES

- ¹U.S. Census Bureau, American Community Survey, 2016.
- ² Ohio Department of Health Vital Statistics. 2015. Analysis by Office of Epidemiology, Columbus Public Health.
- ³ Ohio Hospital Association, 2011-2015. Analysis by the Violence and Injury Prevention Program, Ohio Department of Health.
- ⁴Centers for Disease Control and Prevention, Behavioral Risk Factor Surveillance System Survey Data, Atlanta, GA. Preconception Health: 2011, 2013 & 2015 combined (Physical Activity), 2013 & 2015 (Fruit and Vegetable consumption), 2011-2015 (all other indicators). Health Behaviors: 2014 (Prostate Screening), 2015 (All other indicators). Chronic Conditions: 2015 (all indicators). Mental Health: 2015 (depressive disorder), 2011 (anxiety). Analysis by the Office of Epidemiology, Columbus Public Health. All data for ages 18 and older unless otherwise noted.
- ⁵ Ohio Department of Health, Ohio Public Health Data Warehouse, Ohio Cancer Incidence Surveillance System, 2010-2014. These data were provided by the Ohio Department of Health. The Department specifically disclaims responsibility for any analyses, interpretations or conclusions.
- ⁶ Ohio Department of Vital Statistics, 2013-2015 (Leading Causes of Death and Cancer Deaths)2013-2015 (Life Expectancy). Analysis by the Office of Epidemiology, Columbus Public Health.
- ⁷ Substance Abuse and Mental Health Services Administration, Center for Behavioral Health and Statistics and Quality, National Survey on Drug Use and Health, Average for 2011,2013 & 2014.
- ⁸Ohio Disease Reporting System, 2014. Analysis by Columbus Public Health and Franklin County Public Health.
- ⁹ Ohio Disease Reporting System, data extracted August 10, 2015 and October 24, 2016. Confirmed cases of Chlamydia and Gonorrhea in Franklin County. Analysis by Office of Epidemiology, Columbus Public Health.
- ¹⁰ Ohio Disease Reporting System, data extracted August 10, 2015 and October 24, 2016. Confirmed and probable cases of Primary and Secondary Syphilis in Franklin County. Analysis by Office of Epidemiology, Columbus Public Health.
- ¹¹ Ohio Department of Health, HIV/AIDS Surveillance Program. Data reported through June 30, 2015.
- ¹² Centers for Medicare and Medicaid Services. Hospital Compare Data Archive. *Hospital Archive Revised Flat Files, Healthcare-Associated Infections* Hospital Table. Published October 8, 2015. Analysis by Office of Epidemiology, Columbus Public Health.
- ¹³ Central Ohio Trauma System (COTS), Regional Trauma Registry, 2010-2012. Injury data is reported for injuries resulting in 48 hours or more of hospitalization.
- ¹⁴ Ohio Emergency Medical Services. 2012-2014. Analysis by Office of Epidemiology, Columbus Public Health.

GLOSSARY

Prevalence (Percent)

A measure of how commonly a disease or condition occurs in a population at a particular point in time. This differs from incidence, which is a measure of **new** cases of a disease or condition.

Age Adjusted Death Rate (ADR)

The number of deaths per 100,000 population. This is a way of standardizing death rates to minimize the effects of differences in age compositions when comparing different populations.

Age Adjusted incidence Rate (Rate)

The number of new cases per 100,000 population. This is a way of standardizing incidence rates to minimize the effects of differences in age compositions when comparing different populations.

Incidence Rate

The number of new cases per 100,000 population (not adjusted for age)

Infant Mortality

Number of deaths among infants (less than 1 year) per 1,000 live births

Fetal Deaths

Number of fetal deaths per 1,000 live births and fetal deaths

Low Birth Weights

Percent of live births weighing less than 2,500 grams

Preterm Births

Percent of live births with gestational age less than 37 completed weeks

Teen Birth Rate

Number of Live births to females ages 15-17 years per 1,000 females ages 15-17 years

Neonatal Abstinence Syndrome (NAS)

Set of symptoms associated with the abrupt withdrawal of opiods and other drugs when infants are born to mothers who were taking these substances

Falls (injury)

Injury resulting form falling, tripping, stumbling, pushing, colliding, or diving from different levels or the same level

Motor Vehicle Crash(injury)

Injury resulting from motor vehicle crash occurring on a public street or roadway

Struck by or Against(injury)

Injury resulting from being hit by blunt object or person

Firearm(injury)

Injury resulting from discharge or a handgun, rifle, shotgun, larger firearm, or other and unspecified firearm

Fire/Hot (injury)

Injury resulting from asphyxia or poisoning from conflagration or ignition, burning by fire, hot substances or objects, caustic/corrosive materials, and steam.