

TDMIS ID	DOP Stock Code	Item Description	Manufacturer	Model
BCS32	19189	BRACE, CROSSARM, FLAT STEEL, 32" L, 1-1/4" X 1/4"	MACLEAN	J7132
BF13		BRACKET, FIBERGLASS, SINGLE PHASE, 18", TRIPLE POSITION	MACLEAN	G1MDA118ATB
BF1U		BRACKET, FIBERGLASS, SINGLE PHASE, 18", UNIVERSAL	MACLEAN	G1MDA118AUB
BF1V		BRACKET, FIBERGLASS, SINGLE PHASE, 18", VERTICAL PIN	MACLEAN	G1MDA118DV1B
BF23		BRACKET, FIBERGLASS, TWO PHASE, 36", TRIPLE POSITION	MACLEAN	G2MDA218ATB
BF33		BRACKET, FIBERGLASS, THREE PHASE, 36", TRIPLE POSITION	MACLEAN	G3MAA136ATB
BFPT		BRACKET, FIBERGLASS, SINGLE PHASE, 18", POLE TOP PIN	MACLEAN	G1MDR1118AS1B
BTC1	19269	BRACKET, TRANSFORMER CLUSTER MOUNT, FOR POLE DIAMETER 7-3/4" TO 12-3/4"		
BTC2	19270	BRACKET, TRANSFORMER CLUSTER MOUNT, FOR POLE DIAMETER OF 9-1/2" TO 19"		
CCC2626		CONNECTOR, COMPRESSION, COPPER, 2/0 AWG TO 2/0 AWG TAP	BURNDY	YGHC26C26
CFWB1	79246	CONNECTOR, WEDGE, ALUMINUM, FOR: 1/0-1/0, 2/0-2, 1/0-2, BLUE CARTRIDGE	TE CONNECTIVITY	600403
CFWB2	79247	CONNECTOR, WEDGE, ALUMINUM, FOR: 3/0-6, 2/0-6, BLUE CARTRIDGE	TE CONNECTIVITY	600446
CFWB3	79248	CONNECTOR, WEDGE, ALUMINUM, FOR: 4/0-4, BLUE CARTRIDGE	TE CONNECTIVITY	600455
CFWB4	79249	CONNECTOR, WEDGE, ALUMINUM, FOR: 3/0-2/0, 4/0-1/0, BLUE CARTRIDGE	TE CONNECTIVITY	600458
CFWB5	79250	CONNECTOR, WEDGE, ALUMINUM, FOR: 4/0-4/0, BLUE CARTRIDGE	TE CONNECTIVITY	600466

TDMIS ID	DOP Stock Code	Item Description	Manufacturer	Model
CFWCB	79270	CARTRIDGE, BLUE, FOR AMPACT WEDGE CONNECTORS	TE CONNECTIVITY	69338-1
CFWCW	79272	CARTRIDGE, WHITE, FOR AMPACT WEDGE CONNECTORS	TE CONNECTIVITY	69338-5
CFWCY	79271	CARTRIDGE, YELLOW, FOR AMPACT WEDGE CONNECTORS	TE CONNECTIVITY	69338-4
CFWTCB	79273	TAP COVER, FOR AMPACT WEDGE CONNECTORS, BLUE, MEDIUM	TE CONNECTIVITY	602080
CFWTCW	79275	TAP COVER, FOR AMPACT WEDGE CONNECTORS, WHITE, TYPE II	TE CONNECTIVITY	83364-1
CFWTCY	79274	TAP COVER, FOR AMPACT WEDGE CONNECTORS, YELLOW, 336.4, 477 & 556.5	TE CONNECTIVITY	602107
CFWW1	79266	CONNECTOR, WEDGE, ALUMINUM, FOR: 2-2, 1/0-4, WHITE CARTRIDGE	TE CONNECTIVITY	602283-1
CFWW3	79267	CONNECTOR, WEDGE, ALUMINUM, FOR: 4-4, 2-6, WHITE CARTRIDGE	TE CONNECTIVITY	602283-3
CFWW4	79268	CONNECTOR, WEDGE, ALUMINUM, FOR: 6-6, 4-6, WHITE CARTRIDGE	TE CONNECTIVITY	602283-4
CFWW5	79269	CONNECTOR, WEDGE, ALUMINUM, FOR: 8-8, WHITE CARTRIDGE	TE CONNECTIVITY	602283-5
CFWY1	79251	CONNECTOR, WEDGE, ALUMINUM, FOR: 336.4-2, YELLOW CARTRIDGE	TE CONNECTIVITY	602000
CFWY2	79252	CONNECTOR, WEDGE, ALUMINUM, FOR: 336.4-1/0, YELLOW CARTRIDGE	TE CONNECTIVITY	602001
CFWY3	79253	CONNECTOR, WEDGE, ALUMINUM, FOR: 336.4-266.8, YELLOW CARTRIDGE	TE CONNECTIVITY	602006
CFWY4	79254	CONNECTOR, WEDGE, ALUMINUM, FOR: 336.4-6, YELLOW CARTRIDGE	TE CONNECTIVITY	602014
CFWY5	79255	CONNECTOR, WEDGE, ALUMINUM, FOR: 795-795, YELLOW CARTRIDGE	TE CONNECTIVITY	602121

TDMIS ID	DOP Stock Code	Item Description	Manufacturer	Model
CFWY60	79256	CONNECTOR, WEDGE, ALUMINUM, FOR: 477.0-6, YELLOW CARTRIDGE	TE CONNECTIVITY	1-602031-0
CFWY62	79262	CONNECTOR, WEDGE, ALUMINUM, FOR: 556.5-6, YELLOW CARTRIDGE	TE CONNECTIVITY	2-602031-2
CFWY63	79257	CONNECTOR, WEDGE, ALUMINUM, FOR: 477.0-477.0, 556.5-336.4, YELLOW CARTRIDGE	TE CONNECTIVITY	1-602031-3
CFWY64	79258	CONNECTOR, WEDGE, ALUMINUM, FOR: 477.0-336.4, 556.5-266.8, YELLOW CARTRIDGE	TE CONNECTIVITY	1-602031-4
CFWY65	79259	CONNECTOR, WEDGE, ALUMINUM, FOR: 477.0-266.8, 556.5-3/0, 4/0, YELLOW CARTRIDGE	TE CONNECTIVITY	1-602031-5
CFWY67	79260	CONNECTOR, WEDGE, ALUMINUM, FOR: 477.0-3/0, 556.5-1/0, YELLOW CARTRIDGE	TE CONNECTIVITY	1-602031-7
CFWY68	79263	CONNECTOR, WEDGE, ALUMINUM, FOR: 477.0-2, 3, YELLOW CARTRIDGE	TE CONNECTIVITY	602031-8
CFWY69	79261	CONNECTOR, WEDGE, ALUMINUM, FOR: 477.0-1/0, 556.5-2, YELLOW CARTRIDGE	TE CONNECTIVITY	1-602031-9
CFWY73	79264	CONNECTOR, WEDGE, ALUMINUM, FOR: 795-556.5, YELLOW CARTRIDGE	TE CONNECTIVITY	602121-3
CFWY75	79265	CONNECTOR, WEDGE, ALUMINUM, FOR: 795-397.5, YELLOW CARTRIDGE	TE CONNECTIVITY	602121-5
CHLB1	20218	CLAMP, HOTLINE, BRONZE, #8 SOLID TO 2/0 MAIN, #8 SOLID TO 1/0 TAP	BLACKBURN	HLC2108P
CHLB2	20219	CLAMP, HOTLINE, BRONZE, #6 SOLID TO 400 MCM MN, #6 SOLID TO 4/0 TAP		
CO1	64593	CUTOUT, POLYMER, 100 AMP, 15 KV	CHANCE	CP710112PB
CO1L	67690	CUTOUT, POLYMER, 100 AMP, 15 KV, LOADBREAK	CHANCE	CP730112PB
CO2		CUTOUT, POLYMER, 200 AMP, 15 KV	CHANCE	CP710143PB

TDMIS ID	DOP Stock Code	Item Description	Manufacturer	Model
CO2L	20383	CUTOUT, POLYMER, 200 AMP, 15 KV, LOADBREAK	CHANCE	CP730143PB
D1	20496	DISCONNECT, POLYMER, 600 AMP, 15 KV	CHANCE	M3D66BP
FE10	77243	FUSE, CURRENT LIMITING, ELBOW STYLE, 10 A	ELASTIMOLD	EFX083010-E
FE12	77244	FUSE, CURRENT LIMITING, ELBOW STYLE, 12 A	ELASTIMOLD	EFX083012-E
FE25	77245	FUSE, CURRENT LIMITING, ELBOW STYLE, 25 A	ELASTIMOLD	EFX083025-E
FE40	77246	FUSE, CURRENT LIMITING, ELBOW STYLE, 40 A	ELASTIMOLD	EFX083040-E
FE65	77247	FUSE, CURRENT LIMITING, ELBOW STYLE, 65 A	ELASTIMOLD	EFX083065-E
FE80	77248	FUSE, CURRENT LIMITING, ELBOW STYLE, 80 A	ELASTIMOLD	EFX083080-E
FK10	78544	FUSE, LINK, PRIMARY, 10 AMP, TYPE K	KEARNEY	31010
FK100	20453	FUSE, LINK, PRIMARY, 100 AMP, TYPE K	KEARNEY	31100CPS
FK12	78545	FUSE, LINK, PRIMARY, 12 AMP, TYPE K	KEARNEY	31012
FK140	77930	FUSE, LINK, PRIMARY, 140 AMP, TYPE K	KEARNEY	31140CPS
FK15	78546	FUSE, LINK, PRIMARY, 15 AMP, TYPE K	KEARNEY	31015
FK20	78547	FUSE, LINK, PRIMARY, 20 AMP, TYPE K	KEARNEY	31020CPS
FK25	78548	FUSE, LINK, PRIMARY, 25 AMP, TYPE K	KEARNEY	31025CPS

TDMIS ID	DOP Stock Code	Item Description	Manufacturer	Model
FK3	78541	FUSE, LINK, PRIMARY, 3 AMP, TYPE K	KEARNEY	31003CPS
FK30	20448	FUSE, LINK, PRIMARY, 30 AMP, TYPE K	KEARNEY	31030CPS
FK40	20449	FUSE, LINK, PRIMARY, 40 AMP, TYPE K	KEARNEY	31040CPS
FK50	20450	FUSE, LINK, PRIMARY, 50 AMP, TYPE K	KEARNEY	31050CPS
FK6	78542	FUSE, LINK, PRIMARY, 6 AMP, TYPE K	KEARNEY	31006
FK65	20451	FUSE, LINK, PRIMARY, 65 AMP, TYPE K	KEARNEY	31065CPS
FK8	78543	FUSE, LINK, PRIMARY, 8 AMP, TYPE K	KEARNEY	31008
FK80	20452	FUSE, LINK, PRIMARY, 80 AMP, TYPE K	KEARNEY	31080CPS
FT06	78549	FUSE, LINK, PRIMARY, 6 AMP, TYPE T	KEARNEY	51006
FT10	78550	FUSE, LINK, PRIMARY, 10 AMP, TYPE T	KEARNEY	51010CPS
FT12	20564	FUSE, LINK, PRIMARY, 12 AMP, TYPE T	KEARNEY	51012
FT15	78551	FUSE, LINK, PRIMARY, 15 AMP, TYPE T	KEARNEY	51015
FT20	20565	FUSE, LINK, PRIMARY, 20 AMP, TYPE T	KEARNEY	51020CPS
FT25	20566	FUSE, LINK, PRIMARY, 25 AMP, TYPE T	KEARNEY	51025
G16M	19987	WIRE, GUY, ALUMOWELD, 0.386" OD, 16M, 7 STRAND		

TDMIS ID	DOP Stock Code	Item Description	Manufacturer	Model
HBMD10	18937	BOLT, MACHINE, GLAVANIZED, 5/8" O.D., 10" L	MACLEAN	J8810
HBMD12	18938	BOLT, MACHINE, GLAVANIZED, 5/8" O.D., 12" L	MACLEAN	J8812
HBMD14	18939	BOLT, MACHINE, GLAVANIZED, 5/8" O.D., 14" L	MACLEAN	J8814
HBMD16	18940	BOLT, MACHINE, GLAVANIZED, 5/8" O.D., 16" L	MACLEAN	J8816
HBMD18	18941	BOLT, MACHINE, GLAVANIZED, 5/8" O.D., 18" L	MACLEAN	J8818
HBMD20	18942	BOLT, MACHINE, GLAVANIZED, 5/8" O.D., 20" L	MACLEAN	J8820
HBMD22	18943	BOLT, MACHINE, GLAVANIZED, 5/8" O.D., 22" L	MACLEAN	J8822
HBMD24	18944	BOLT, MACHINE, GLAVANIZED, 5/8" O.D., 24" L	MACLEAN	J8824
HBMD28	18945	BOLT, MACHINE, GLAVANIZED, 5/8" O.D., 28" L	MACLEAN	J8828
HBMD6	18935	BOLT, MACHINE, GLAVANIZED, 5/8" O.D., 6" L	MACLEAN	J8806
HBMD8	18936	BOLT, MACHINE, GLAVANIZED, 5/8" O.D., 8" L	MACLEAN	J8808
HLN2	78753	LUG, NEMA STD, 2 HOLE	G&W	PLS128230016
HSLA2	18982	SCREW, LAG, ZINC, 1/4" O.D., 2" L		
HSLB4	18983	SCREW, LAG, GALVANIZED, 3/8" O.D., 4" L		
HSLC5	18985	SCREW, LAG, GALVANIZED, 1/2" O.D., 5" L		

TDMIS ID	DOP Stock Code	Item Description	Manufacturer	Model
HSLC6	18986	SCREW, LAG, GALVANIZED, 1/2" O.D., 6" L		
HSLD5	18987	SCREW, LAG, GALVANIZED, 5/8" O.D., 5" L		
HWLD	18893	WASHER, SPRING LOCK, GALVANIZED, 11/16" I.D., 5/8" BOLT DIAMETER	MACLEAN	J177
HWP1	78755	PROTECTOR, WILDLIFE, STANDARD	G&W	A134151760000
HWRA	18887	WASHER, ROUND, ZINC, 3/8" I.D.		
HWRC	18890	WASHER, ROUND, ZINC, 9/16" I.D.		
HWSD	18901	WASHER, SQAURE, FLAT, GALVANIZED, 11/16" I.D., 5/8" BOLT DIAMETER	MACLEAN	J1075
I1	20256	INSULATOR, PIN-TYPE, 1" THREAD, POLYMER		
IP1	19312	PIN, 5/8" O.D., STEEL, 1" NYLON THREAD, LONG SHANK	MACLEAN	J203Z
IP2	19315	PIN, TRANSFORMER LEAD, 1/2" O.D., STEEL, 1" NYLON THREAD, 5" L	MACLEAN	J025Z
LA12	20371	ARRESTER, SURGE, 12 KV, HEAVY DUTY	MACLEAN	ZHP012-0C001000L
LA9	20369	ARRESTER, SURGE, 9 KV, HEAVY DUTY	MACLEAN	ZHP009-0C00100
R1	78750	RECLOSER, SOLID DIELECTRIC, 600 A, PACKAGED UNIT WITH CONTROLS AND PTS	G&W	VIP378ER-12-1-ST
R1B	78758	BATTERY KIT, REPLACEMENT, 40 AMP-HOUR, FOR VIPER RECLOSER	SEL	91500199
R1C	78757	CONTOL, RECLOSER, CUSTOM, SEL-651R	SEL	9163XXXX3605

TDMIS ID	DOP Stock Code	Item Description	Manufacturer	Model
R1CC	78752	CONTROL CABLE, 30-FOOT, 32 PIN CONNECTORS, FOR RECLOSER CONTROLS	G&W	B13415249C00
R1CC2	50414	CONTROL CABLE, 30-FOOT, 8 PIN CONNECTORS, FOR RECLOSER CONTROLS	G&W	
R1IK	78756	INSULATOR KIT, 15 KV, FOR VIPER RECLOSER	G&W	PLS1888700007
R1RO	78751	RECLOSER, SOLID DIELECTRIC, 600 A, RECLOSER ONLY	G&W	VIP378ER-12-1-ST
R1SG	78759	SECURITY GATEWAY, FOR VIPER RECLOSER	SEL	3622XDE00XX1
S1	20500	SWITCH, GROUP OPERATED AIR BREAK, 900 A, 25 KV		
T1OH100K133P10S	20606	Transformer, Overhead, 1 Phase, 14400/24940Y V (E / E1 Y), 120/240, 100 KVA		
T1OH100K133P12S	20607	Transformer, Overhead, 1 Phase, 14400/24940Y V (E / E1 Y), 240/480, 100 KVA		
T1OH100K133P33S	20608	Transformer, Overhead, 1 Phase, 14400/24940Y V (E / E1 Y), 277/480Y, 100 KVA		
T1OH100K170P10S	77448	Transformer, Overhead, 1 Phase, 14400 Grd Y/8320 V (E1 Grd Y / E), 120/240, 100 KVA		
T1OH100K170P33S	77453	Transformer, Overhead, 1 Phase, 14400 Grd Y/8320 V (E1 Grd Y / E), 277/480Y, 100 KVA		
T1OH100K279P10S	20609	Transformer, Overhead, 1 Phase, 7200/12470Y x 8320/14400Y V (E / E1Y x E / E1Y), 120/240, 100 KVA		
T1OH100K279P12S	20610	Transformer, Overhead, 1 Phase, 7200/12470Y x 8320/14400Y V (E / E1Y x E / E1Y), 240/480, 100 KVA		
T1OH100K279P33S	77462	Transformer, Overhead, 1 Phase, 7200/12470Y x 8320/14400Y V (E / E1Y x E / E1Y), 277/480Y, 100 KVA		
T1OH167K133P10S	20620	Transformer, Overhead, 1 Phase, 14400/24940Y V (E / E1 Y), 120/240, 167 KVA		

TDMIS ID	DOP Stock Code	Item Description	Manufacturer	Model
T1OH167K133P12S	20621	Transformer, Overhead, 1 Phase, 14400/24940Y V (E / E1 Y), 240/480, 167 KVA		
T1OH167K133P33S	20622	Transformer, Overhead, 1 Phase, 14400/24940Y V (E / E1 Y), 277/480Y, 167 KVA		
T1OH167K133P37S	77455	Transformer, Overhead, 1 Phase, 14400/24940Y V (E / E1 Y), 7200/12470Y, 167 KVA		
T1OH167K170P10S	77449	Transformer, Overhead, 1 Phase, 14400 Grd Y/8320 V (E1 Grd Y / E), 120/240, 167 KVA		
T1OH167K170P33S	77454	Transformer, Overhead, 1 Phase, 14400 Grd Y/8320 V (E1 Grd Y / E), 277/480Y, 167 KVA		
T1OH167K279P10S	20623	Transformer, Overhead, 1 Phase, 7200/12470Y x 8320/14400Y V (E / E1Y x E / E1Y), 120/240, 167 KVA		
T1OH167K279P12S	20624	Transformer, Overhead, 1 Phase, 7200/12470Y x 8320/14400Y V (E / E1Y x E / E1Y), 240/480, 167 KVA		
T1OH167K279P33S	77463	Transformer, Overhead, 1 Phase, 7200/12470Y x 8320/14400Y V (E / E1Y x E / E1Y), 277/480Y, 167 KVA		
T1OH1K170P10S	78754	Transformer, Overhead, 1 Phase, 14400 Grd Y/8320 V (E1 Grd Y / E), 120/240, 1 KVA	G&W	A13413292DU0
T1OH250K133P37S	77456	Transformer, Overhead, 1 Phase, 14400/24940Y V (E / E1 Y), 7200/12470Y, 250 KVA		
T1OH25K133P10S	20587	Transformer, Overhead, 1 Phase, 14400/24940Y V (E / E1 Y), 120/240, 25 KVA		
T1OH25K133P12S	20588	Transformer, Overhead, 1 Phase, 14400/24940Y V (E / E1 Y), 240/480, 25 KVA		
T1OH25K133P33S	20589	Transformer, Overhead, 1 Phase, 14400/24940Y V (E / E1 Y), 277/480Y, 25 KVA		
T1OH25K170P10S	77445	Transformer, Overhead, 1 Phase, 14400 Grd Y/8320 V (E1 Grd Y / E), 120/240, 25 KVA		
T1OH25K170P33S	77450	Transformer, Overhead, 1 Phase, 14400 Grd Y/8320 V (E1 Grd Y / E), 277/480Y, 25 KVA		

TDMIS ID	DOP Stock Code	Item Description	Manufacturer	Model
T1OH25K279P10S	20592	Transformer, Overhead, 1 Phase, 7200/12470Y x 8320/14400Y V (E / E1Y x E / E1Y), 120/240, 25 KVA		
T1OH25K279P33S	77459	Transformer, Overhead, 1 Phase, 7200/12470Y x 8320/14400Y V (E / E1Y x E / E1Y), 277/480Y, 25 KVA		
T1OH333K133P37S	77457	Transformer, Overhead, 1 Phase, 14400/24940Y V (E / E1 Y), 7200/12470Y, 333 KVA		
T1OH500K133P37S	77458	Transformer, Overhead, 1 Phase, 14400/24940Y V (E / E1 Y), 7200/12470Y, 500 KVA		
T1OH50K133P10S	20664	Transformer, Overhead, 1 Phase, 14400/24940Y V (E / E1 Y), 120/240, 50 KVA		
T1OH50K133P12S	20665	Transformer, Overhead, 1 Phase, 14400/24940Y V (E / E1 Y), 240/480, 50 KVA		
T1OH50K133P33S	20666	Transformer, Overhead, 1 Phase, 14400/24940Y V (E / E1 Y), 277/480Y, 50 KVA		
T1OH50K170P10S	77446	Transformer, Overhead, 1 Phase, 14400 Grd Y/8320 V (E1 Grd Y / E), 120/240, 50 KVA		
T1OH50K170P33S	77451	Transformer, Overhead, 1 Phase, 14400 Grd Y/8320 V (E1 Grd Y / E), 277/480Y, 50 KVA		
T1OH50K279P10S	20669	Transformer, Overhead, 1 Phase, 7200/12470Y x 8320/14400Y V (E / E1Y x E / E1Y), 120/240, 50 KVA		
T1OH50K279P33S	77460	Transformer, Overhead, 1 Phase, 7200/12470Y x 8320/14400Y V (E / E1Y x E / E1Y), 277/480Y, 50 KVA		
T1OH75K133P10S	20681	Transformer, Overhead, 1 Phase, 14400/24940Y V (E / E1 Y), 120/240, 75 KVA		
T1OH75K133P12S	20682	Transformer, Overhead, 1 Phase, 14400/24940Y V (E / E1 Y), 240/480, 75 KVA		
T1OH75K133P33S	20683	Transformer, Overhead, 1 Phase, 14400/24940Y V (E / E1 Y), 277/480Y, 75 KVA		
T1OH75K170P10S	77447	Transformer, Overhead, 1 Phase, 14400 Grd Y/8320 V (E1 Grd Y / E), 120/240, 75 KVA		

TDMIS ID	DOP Stock Code	Item Description	Manufacturer	Model
T1OH75K170P33S	77452	Transformer, Overhead, 1 Phase, 14400 Grd Y/8320 V (E1 Grd Y / E), 277/480Y, 75 KVA		
T1OH75K279P10S	20597	Transformer, Overhead, 1 Phase, 7200/12470Y x 8320/14400Y V (E / E1Y x E / E1Y), 120/240, 75 KVA		
T1OH75K279P33S	77461	Transformer, Overhead, 1 Phase, 7200/12470Y x 8320/14400Y V (E / E1Y x E / E1Y), 277/480Y, 75 KVA		
T1PM100K118P16S	20782	Transformer, Pad-mounted - Loop Feed - Dead Front, 1 Phase, 7200/12470Y V (E / E1 Y), 240/120, 100 KVA		
T1PM100K170P16S	20784	Transformer, Pad-mounted - Loop Feed - Dead Front, 1 Phase, 14400 Grd Y/8320 V (E1 Grd Y / E), 240/120, 100 KVA		
T1PM167K170P16S	20788	Transformer, Pad-mounted - Loop Feed - Dead Front, 1 Phase, 14400 Grd Y/8320 V (E1 Grd Y / E), 240/120, 167 KVA		
T1PM25K118P16S	20770	Transformer, Pad-mounted - Loop Feed - Dead Front, 1 Phase, 7200/12470Y V (E / E1 Y), 240/120, 25 KVA		
T1PM25K170P16S	20773	Transformer, Pad-mounted - Loop Feed - Dead Front, 1 Phase, 14400 Grd Y/8320 V (E1 Grd Y / E), 240/120, 25 KVA		
T1PM25K170P17S	20774	Transformer, Pad-mounted - Loop Feed - Dead Front, 1 Phase, 14400 Grd Y/8320 V (E1 Grd Y / E), 480/240, 25 KVA		
T1PM50K118P16S	20775	Transformer, Pad-mounted - Loop Feed - Dead Front, 1 Phase, 7200/12470Y V (E / E1 Y), 240/120, 50 KVA		
T1PM50K170P16S	20778	Transformer, Pad-mounted - Loop Feed - Dead Front, 1 Phase, 14400 Grd Y/8320 V (E1 Grd Y / E), 240/120, 50 KVA		
T1PM75K170P16S	20780	Transformer, Pad-mounted - Loop Feed - Dead Front, 1 Phase, 14400 Grd Y/8320 V (E1 Grd Y / E), 240/120, 75 KVA		
T1SL100K133P10S	20740	Transformer, Subway - Loop Feed, 1 Phase, 14400/24940Y V (E / E1 Y), 120/240, 100 KVA		
T1SL100K133P12S	20741	Transformer, Subway - Loop Feed, 1 Phase, 14400/24940Y V (E / E1 Y), 240/480, 100 KVA		
T1SL100K170P10S	77469	Transformer, Subway - Loop Feed, 1 Phase, 14400 Grd Y/8320 V (E1 Grd Y / E), 120/240, 100 KVA		

TDMIS ID	DOP Stock Code	Item Description	Manufacturer	Model
T1SL167K133P10S	20745	Transformer, Subway - Loop Feed, 1 Phase, 14400/24940Y V (E / E1 Y), 120/240, 167 KVA		
T1SL167K170P10S	77470	Transformer, Subway - Loop Feed, 1 Phase, 14400 Grd Y/8320 V (E1 Grd Y / E), 120/240, 167 KVA		
T1SL25K133P12S	20728	Transformer, Subway - Loop Feed, 1 Phase, 14400/24940Y V (E / E1 Y), 240/480, 25 KVA		
T1SL333K170P10S	77471	Transformer, Subway - Loop Feed, 1 Phase, 14400 Grd Y/8320 V (E1 Grd Y / E), 120/240, 333 KVA		
T1SL50K133P10S	20734	Transformer, Subway - Loop Feed, 1 Phase, 14400/24940Y V (E / E1 Y), 120/240, 50 KVA		
T1SL50K133P12S	20735	Transformer, Subway - Loop Feed, 1 Phase, 14400/24940Y V (E / E1 Y), 240/480, 50 KVA		
T1SL50K170P10S	77468	Transformer, Subway - Loop Feed, 1 Phase, 14400 Grd Y/8320 V (E1 Grd Y / E), 120/240, 50 KVA		
T1SL75K133P10S	20737	Transformer, Subway - Loop Feed, 1 Phase, 14400/24940Y V (E / E1 Y), 120/240, 75 KVA		
T1SL75K133P12S	20738	Transformer, Subway - Loop Feed, 1 Phase, 14400/24940Y V (E / E1 Y), 240/480, 75 KVA		
T3NP1500K999P74S	20384	Protector, Network, 3 Phase, 2500 A, 480Y/277, For 1500 KVA Xfmr		
T3NP2000K999P74S	77443	Protector, Network, 3 Phase, 3000 A, 480Y/277, For 2000 KVA Xfmr		
T3NP2500K999P74S	77444	Protector, Network, 3 Phase, 3500 A, 480Y/277, For 2500 KVA Xfmr		
T3NT1500K537P74S	20979	Transformer, Network, 3 Phase, 14400 V (E), 480Y/277, 1500 KVA		
T3NT2000K537P74S	77441	Transformer, Network, 3 Phase, 14400 V (E), 480Y/277, 2000 KVA		
T3NT2500K537P74S	77442	Transformer, Network, 3 Phase, 14400 V (E), 480Y/277, 2500 KVA		

TDMIS ID	DOP Stock Code	Item Description	Manufacturer	Model
T3PM1000K537P73S	20824	Transformer, Pad-mounted - Loop Feed - Dead Front, 3 Phase, 14400 V (E), 208Y/120, 1000 KVA		
T3PM1000K537P74S	20825	Transformer, Pad-mounted - Loop Feed - Dead Front, 3 Phase, 14400 V (E), 480Y/277, 1000 KVA		
T3PM1000K590P73S	61533	Transformer, Pad-mounted - Loop Feed - Dead Front, 3 Phase, 7200 x 14400 V (E x 2E), 208Y/120, 1000 KVA		
T3PM1000K590P74S	61540	Transformer, Pad-mounted - Loop Feed - Dead Front, 3 Phase, 7200 x 14400 V (E x 2E), 480Y/277, 1000 KVA		
T3PM1500K537P73S	77464	Transformer, Pad-mounted - Loop Feed - Dead Front, 3 Phase, 14400 V (E), 208Y/120, 1500 KVA		
T3PM1500K537P74S	20826	Transformer, Pad-mounted - Loop Feed - Dead Front, 3 Phase, 14400 V (E), 480Y/277, 1500 KVA		
T3PM1500K590P73S	61534	Transformer, Pad-mounted - Loop Feed - Dead Front, 3 Phase, 7200 x 14400 V (E x 2E), 208Y/120, 1500 KVA		
T3PM1500K590P74S	61541	Transformer, Pad-mounted - Loop Feed - Dead Front, 3 Phase, 7200 x 14400 V (E x 2E), 480Y/277, 1500 KVA		
T3PM1500K537P73S	20799	Transformer, Pad-mounted - Loop Feed - Dead Front, 3 Phase, 14400 V (E), 208Y/120, 150 KVA		
T3PM1500K537P74S	20800	Transformer, Pad-mounted - Loop Feed - Dead Front, 3 Phase, 14400 V (E), 480Y/277, 150 KVA		
T3PM1500K590P73S	61529	Transformer, Pad-mounted - Loop Feed - Dead Front, 3 Phase, 7200 x 14400 V (E x 2E), 208Y/120, 150 KVA		
T3PM1500K590P74S	61535	Transformer, Pad-mounted - Loop Feed - Dead Front, 3 Phase, 7200 x 14400 V (E x 2E), 480Y/277, 150 KVA		
T3PM2000K537P74S	20829	Transformer, Pad-mounted - Loop Feed - Dead Front, 3 Phase, 14400 V (E), 480Y/277, 2000 KVA		
T3PM2000K590P74S	77466	Transformer, Pad-mounted - Loop Feed - Dead Front, 3 Phase, 7200 x 14400 V (E x 2E), 480Y/277, 2000 KVA		
T3PM2500K537P74S	20724	Transformer, Pad-mounted - Loop Feed - Dead Front, 3 Phase, 14400 V (E), 480Y/277, 2500 KVA		

TDMIS ID	DOP Stock Code	Item Description	Manufacturer	Model
T3PM2500K590P74S	77467	Transformer, Pad-mounted - Loop Feed - Dead Front, 3 Phase, 7200 x 14400 V (E x 2E), 480Y/277, 2500 KVA		
T3PM300K537P73S	20808	Transformer, Pad-mounted - Loop Feed - Dead Front, 3 Phase, 14400 V (E), 208Y/120, 300 KVA		
T3PM300K537P74S	20809	Transformer, Pad-mounted - Loop Feed - Dead Front, 3 Phase, 14400 V (E), 480Y/277, 300 KVA		
T3PM300K590P73S	61530	Transformer, Pad-mounted - Loop Feed - Dead Front, 3 Phase, 7200 x 14400 V (E x 2E), 208Y/120, 300 KVA		
T3PM300K590P74S	61537	Transformer, Pad-mounted - Loop Feed - Dead Front, 3 Phase, 7200 x 14400 V (E x 2E), 480Y/277, 300 KVA		
T3PM500K537P73S	20815	Transformer, Pad-mounted - Loop Feed - Dead Front, 3 Phase, 14400 V (E), 208Y/120, 500 KVA		
T3PM500K537P74S	20816	Transformer, Pad-mounted - Loop Feed - Dead Front, 3 Phase, 14400 V (E), 480Y/277, 500 KVA		
T3PM500K590P73S	61531	Transformer, Pad-mounted - Loop Feed - Dead Front, 3 Phase, 7200 x 14400 V (E x 2E), 208Y/120, 500 KVA		
T3PM500K590P74S	61538	Transformer, Pad-mounted - Loop Feed - Dead Front, 3 Phase, 7200 x 14400 V (E x 2E), 480Y/277, 500 KVA		
T3PM750K537P73S	20821	Transformer, Pad-mounted - Loop Feed - Dead Front, 3 Phase, 14400 V (E), 208Y/120, 750 KVA		
T3PM750K537P74S	20822	Transformer, Pad-mounted - Loop Feed - Dead Front, 3 Phase, 14400 V (E), 480Y/277, 750 KVA		
T3PM750K590P73S	61532	Transformer, Pad-mounted - Loop Feed - Dead Front, 3 Phase, 7200 x 14400 V (E x 2E), 208Y/120, 750 KVA		
T3PM750K590P74S	61539	Transformer, Pad-mounted - Loop Feed - Dead Front, 3 Phase, 7200 x 14400 V (E x 2E), 480Y/277, 750 KVA		
T3PM75K537P73S	20792	Transformer, Pad-mounted - Loop Feed - Dead Front, 3 Phase, 14400 V (E), 208Y/120, 75 KVA		
T3PM75K590P73S	77465	Transformer, Pad-mounted - Loop Feed - Dead Front, 3 Phase, 7200 x 14400 V (E x 2E), 208Y/120, 75 KVA		

TDMIS ID	DOP Stock Code	Item Description	Manufacturer	Model
T3SL1000K537P73S	20759	Transformer, Subway - Loop Feed, 3 Phase, 14400 V (E), 208Y/120, 1000 KVA		
T3SL1000K537P74S	20760	Transformer, Subway - Loop Feed, 3 Phase, 14400 V (E), 480Y/277, 1000 KVA		
T3SL1000K590P73S	77476	Transformer, Subway - Loop Feed, 3 Phase, 7200 x 14400 V (E x 2E), 208Y/120, 1000 KVA		
T3SL1000K590P74S	77482	Transformer, Subway - Loop Feed, 3 Phase, 7200 x 14400 V (E x 2E), 480Y/277, 1000 KVA		
T3SL1500K537P74S	20968	Transformer, Subway - Loop Feed, 3 Phase, 14400 V (E), 480Y/277, 1500 KVA		
T3SL1500K590P73S	77477	Transformer, Subway - Loop Feed, 3 Phase, 7200 x 14400 V (E x 2E), 208Y/120, 1500 KVA		
T3SL1500K590P74S	77483	Transformer, Subway - Loop Feed, 3 Phase, 7200 x 14400 V (E x 2E), 480Y/277, 1500 KVA		
T3SL150K537P73S	20752	Transformer, Subway - Loop Feed, 3 Phase, 14400 V (E), 208Y/120, 150 KVA		
T3SL150K590P73S	77472	Transformer, Subway - Loop Feed, 3 Phase, 7200 x 14400 V (E x 2E), 208Y/120, 150 KVA		
T3SL150K590P74S	77478	Transformer, Subway - Loop Feed, 3 Phase, 7200 x 14400 V (E x 2E), 480Y/277, 150 KVA		
T3SL300K537P73S	20753	Transformer, Subway - Loop Feed, 3 Phase, 14400 V (E), 208Y/120, 300 KVA		
T3SL300K537P74S	20754	Transformer, Subway - Loop Feed, 3 Phase, 14400 V (E), 480Y/277, 300 KVA		
T3SL300K590P73S	77473	Transformer, Subway - Loop Feed, 3 Phase, 7200 x 14400 V (E x 2E), 208Y/120, 300 KVA		
T3SL300K590P74S	77479	Transformer, Subway - Loop Feed, 3 Phase, 7200 x 14400 V (E x 2E), 480Y/277, 300 KVA		
T3SL500K537P73S	20755	Transformer, Subway - Loop Feed, 3 Phase, 14400 V (E), 208Y/120, 500 KVA		

TDMIS ID	DOP Stock Code	Item Description	Manufacturer	Model
T3SL500K537P74S	20756	Transformer, Subway - Loop Feed, 3 Phase, 14400 V (E), 480Y/277, 500 KVA		
T3SL500K590P73S	77474	Transformer, Subway - Loop Feed, 3 Phase, 7200 x 14400 V (E x 2E), 208Y/120, 500 KVA		
T3SL500K590P74S	77480	Transformer, Subway - Loop Feed, 3 Phase, 7200 x 14400 V (E x 2E), 480Y/277, 500 KVA		
T3SL750K537P73S	20757	Transformer, Subway - Loop Feed, 3 Phase, 14400 V (E), 208Y/120, 750 KVA		
T3SL750K537P74S	20758	Transformer, Subway - Loop Feed, 3 Phase, 14400 V (E), 480Y/277, 750 KVA		
T3SL750K590P73S	77475	Transformer, Subway - Loop Feed, 3 Phase, 7200 x 14400 V (E x 2E), 208Y/120, 750 KVA		
T3SL750K590P74S	77481	Transformer, Subway - Loop Feed, 3 Phase, 7200 x 14400 V (E x 2E), 480Y/277, 750 KVA		
UK30A		CONDUIT, RIGID, GALVANIZED STEEL, 2"	CALCONDUIT	ST2010CT00
UK30B		CONDUIT, RIGID, GALVANIZED STEEL, 3"	CALCONDUIT	ST3010CT00
UK30C		CONDUIT, RIGID, GALVANIZED STEEL, 4"	CALCONDUIT	ST4010CT00
UK30D		CONDUIT, RIGID, GALVANIZED STEEL, 5"	CALCONDUIT	ST5010CT00
UK30E		CONDUIT, RIGID, GALVANIZED STEEL, 6"	CALCONDUIT	ST6010CT00
UK31A		SWEEP, GALVANIZED, CONDUIT, 90°, 2"	CALCONDUIT	ST2036SW90
UK31B		SWEEP, GALVANIZED, CONDUIT, 90°, 3"	CALCONDUIT	ST3036SW90
UK31C		SWEEP, GALVANIZED, CONDUIT, 90°, 4"	CALCONDUIT	ST4036SW90

TDMIS ID	DOP Stock Code	Item Description	Manufacturer	Model
UK31D		SWEEP, GALVANIZED, CONDUIT, 90°, 5"	CALCONDUIT	ST5036SW90
UK31E		SWEEP, GALVANIZED, CONDUIT, 90°, 6"	CALCONDUIT	ST6036SW90
UK32A		COUPLING, GALVANIZED CONDUIT, 2"	CALCONDUIT	ST200CP00
UK32B		COUPLING, GALVANIZED CONDUIT, 3"	CALCONDUIT	ST300CP00
UK32C		COUPLING, GALVANIZED CONDUIT, 4"	CALCONDUIT	ST400CP00
UK32D		COUPLING, GALVANIZED CONDUIT, 5"	CALCONDUIT	ST500CP00
UK32E		COUPLING, GALVANIZED CONDUIT, 6"	CALCONDUIT	ST600CP00
UK381A		STRAP, GALVANIZED, ONE HOLE, FOR 1-1/4" CONDUIT		
UK38A		CLAMP, CONDUIT GROUND, 2"	BURNDY	GAR3903-BU
UK38B		CLAMP, CONDUIT GROUND, 3"	BURNDY	GAR3904-BU
UK38C		CLAMP, CONDUIT GROUND, 4"	BURNDY	GAR3905-BU
UK38D		CLAMP, CONDUIT GROUND, 5"	BURNDY	GAR3905-BU
UK38E		CLAMP, CONDUIT GROUND, 6"	BURNDY	GAR3906-BU
UK4B		CONDUIT SPACER, BASE, 3"	CARLON	S288LJN
UK4C	21660	CONDUIT SPACER, BASE, 4"	CARLON	S288NJN

TDMIS ID	DOP Stock Code	Item Description	Manufacturer	Model
UK4D	21662	CONDUIT SPACER, BASE, 5"	CARLON	S288PJN
UK4E		CONDUIT SPACER, BASE, 6"	CARLON	S288RJN
UK5B		CONDUIT SPACER, INTERMEDIATE, 3"	CARLON	S289LJN
UK5C	21661	CONDUIT SPACER, INTERMEDIATE, 4"	CARLON	S289NJN
UK5D	21663	CONDUIT SPACER, INTERMEDIATE, 5"	CARLON	S289PJN
UK5E		CONDUIT SPACER, INTERMEDIATE, 6"	CARLON	S289RJN
UK60A	77577	BRACKET, CONDUIT STANDOFF, 12"	ALUMA-FORM	6-CSO-12
UK60B	77578	BRACKET, CONDUIT STANDOFF, 24"	ALUMA-FORM	6-CSO-24
UK60C	77579	BRACKET, CONDUIT STANDOFF, 36"	ALUMA-FORM	6-CSO-36
UK61A		KIT, CONDUIT STRAP, 2"	ALUMA-FORM	STK-2
UK61B		KIT, CONDUIT STRAP, 3"	ALUMA-FORM	STK-3
UK61C	77580	KIT, CONDUIT STRAP, 4"	ALUMA-FORM	STK-4
UK61D	77581	KIT, CONDUIT STRAP, 5"	ALUMA-FORM	STK-5
UK61E		KIT, CONDUIT STRAP, 6"	ALUMA-FORM	STK-6
UK6A2	21526	CONDUIT, PVC, SCHEDULE 40, 2"	CARLON	49011-010

TDMIS ID	DOP Stock Code	Item Description	Manufacturer	Model
UK6A3	21527	CONDUIT, PVC, SCHEDULE 40, 3"	CARLON	49013-010
UK6A4	21528	CONDUIT, PVC, SCHEDULE 40, 4"	CARLON	49015-010
UK6A5	21529	CONDUIT, PVC, SCHEDULE 40, 5"	CARLON	49016-010
UK6A6	21530	CONDUIT, PVC, SCHEDULE 40, 6"	CARLON	49017-010
UK6B2A	20846	SWEEP, 90 DEGREE, PVC, SCHEDULE 40, 2" OD, 18" R	CARLON	UA9CJB
UK6B2B		SWEEP, 90 DEGREE, PVC, SCHEDULE 40, 2" OD, 24" R	CARLON	UA9DJB-UPC
UK6B2C		SWEEP, 90 DEGREE, PVC, SCHEDULE 40, 2" OD, 36" R	CARLON	UA9FJB
UK6B3B	20849	SWEEP, 90 DEGREE, PVC, SCHEDULE 40, 3" OD, 24" R	CARLON	UA9DLB-UPC
UK6B3C		SWEEP, 90 DEGREE, PVC, SCHEDULE 40, 3" OD, 36" R	CARLON	UA9FLB
UK6B3D		SWEEP, 90 DEGREE, PVC, SCHEDULE 40, 3" OD, 48" R	CARLON	UA9HLB
UK6B4C		SWEEP, 90 DEGREE, PVC, SCHEDULE 40, 4" OD, 36" R	CARLON	UA9FNB
UK6B4D		SWEEP, 90 DEGREE, PVC, SCHEDULE 40, 4" OD, 48" R	CARLON	UA9HNB
UK6B5C		SWEEP, 90 DEGREE, PVC, SCHEDULE 40, 5" OD, 36" R	CARLON	UA9FPB
UK6B5D		SWEEP, 90 DEGREE, PVC, SCHEDULE 40, 5" OD, 48" R	CARLON	UA9HPB
UK6B6D		SWEEP, 90 DEGREE, PVC, SCHEDULE 40, 6" OD, 48" R	CARLON	UA9HRB

TDMIS ID	DOP Stock Code	Item Description	Manufacturer	Model
UK6B6E		SWEEP, 90 DEGREE, PVC, SCHEDULE 40, 6" OD, 60" R	CARLON	UA9IRB
UK6BA4		SWEEP, 11.25 DEGREE, PVC, SCHEDULE 40, 4" OD, 48" R	CARLON	UA3HNB
UK6BA5		SWEEP, 11.25 DEGREE, PVC, SCHEDULE 40, 5" OD, 48" R	CARLON	UA3HP
UK6BA6		SWEEP, 11.25 DEGREE, PVC, SCHEDULE 40, 6" OD, 48" R	CARLON	UA3HR
UK6BB4		SWEEP, 22.5 DEGREE, PVC, SCHEDULE 40, 4" OD, 48" R	CARLON	UA5HNB
UK6BB5		SWEEP, 22.5 DEGREE, PVC, SCHEDULE 40, 5" OD, 48" R	CARLON	UA5HPB
UK6BB6		SWEEP, 22.5 DEGREE, PVC, SCHEDULE 40, 6" OD, 48" R	CARLON	UA5HRB
UK6BC4		SWEEP, 45 DEGREE, PVC, SCHEDULE 40, 4" OD, 48" R	CARLON	UA7FNB
UK6BC5		SWEEP, 45 DEGREE, PVC, SCHEDULE 40, 5" OD, 48" R	CARLON	UA7HPB
UK6BC6		SWEEP, 45 DEGREE, PVC, SCHEDULE 40, 6" OD, 48" R	CARLON	UA7HRB
UK6C2	21017	COUPLING, PVC, SCHEDULE 40, 2" OD	CARLON	E940J
UK6C3	21018	COUPLING, PVC, SCHEDULE 40, 3" OD	CARLON	E940L
UK6C4	21019	COUPLING, PVC, SCHEDULE 40, 4" OD	CARLON	E940N
UK6C5	21022	COUPLING, PVC, SCHEDULE 40, 5" OD	CARLON	E940P
UK6C6	21026	COUPLING, PVC, SCHEDULE 40, 6" OD	CARLON	E940R

TDMIS ID	DOP Stock Code	Item Description	Manufacturer	Model
UK6D4	21021	COUPLING, 5 DEGREE, PVC, DB, 4" OD, BELL X BELL	CARLON	E2440NF
UK6D4S	21020	COUPLING, 5 DEGREE, PVC, DB, 4" OD, BELL X SPIGOT	CARLON	E244NF
UK6D5	21024	COUPLING, 5 DEGREE, PVC, DB, 5" OD, BELL X BELL	CARLON	E2440PF
UK6D5S	21023	COUPLING, 5 DEGREE, PVC, DB, 5" OD, BELL X SPIGOT	CARLON	E244PF
UK6D6	21027	COUPLING, 5 DEGREE, PVC, DB, 6" OD, BELL X BELL	CARLON	E2440RF
UK6D6S		COUPLING, 5 DEGREE, PVC, DB, 6" OD, BELL X SPIGOT	CARLON	E244RF
UK6E2		END BELL, PVC, SCHEDULE 40, 2" OD	CARLON	E997J
UK6E3		END BELL, PVC, SCHEDULE 40, 3" OD	CARLON	E997L
UK6E4		END BELL, PVC, SCHEDULE 40, 4" OD	CARLON	E997N
UK6E5		END BELL, PVC, SCHEDULE 40, 5" OD	CARLON	E997P
UK6E6		END BELL, PVC, SCHEDULE 40, 6" OD	CARLON	E997R
UK6F2	20992	ADAPTER, STEEL TO PVC, FEMALE, 2"	CARLON	E942J
UK6F3		ADAPTER, STEEL TO PVC, FEMALE, 3"	CARLON	E942L
UK6F4	20994	ADAPTER, STEEL TO PVC, FEMALE, 4"	CARLON	E942N
UK6F5		ADAPTER, STEEL TO PVC, FEMALE, 5"	CARLON	E942P

TDMIS ID	DOP Stock Code	Item Description	Manufacturer	Model
UK6F6		ADAPTER, STEEL TO PVC, FEMALE, 6"	CARLON	E942R
UK6G2	21601	PLUG, DUCT, PVC, SCHEDULE 40, 2" OD	CARLON	P258JT
UK6G3		PLUG, DUCT, PVC, SCHEDULE 40, 3" OD	CARLON	P258LT
UK6G4		PLUG, DUCT, PVC, SCHEDULE 40, 4" OD	CARLON	P258NT
UK6G5		PLUG, DUCT, PVC, SCHEDULE 40, 5" OD	CARLON	P258PT
UK6G6		PLUG, DUCT, PVC, SCHEDULE 40, 6" OD	CARLON	P258RT
UK6S	21004	CEMENT, PVC	CARLON	VC9922
UK7CC2		COUPLING, REPAIR SLEEVE, PVC, SCHEDULE 40, 2" OD	CARLON	E948JS
UK7CC3		COUPLING, REPAIR SLEEVE, PVC, SCHEDULE 40, 3" OD	CARLON	E948LS
UK7CC4		COUPLING, REPAIR SLEEVE, PVC, SCHEDULE 40, 4" OD	CARLON	E948NS
UK7CC5	21031	COUPLING, REPAIR SLEEVE, PVC, SCHEDULE 40, 5" OD	CARLON	E948PS
UK7CC6		COUPLING, REPAIR SLEEVE, PVC, SCHEDULE 40, 6" OD	CARLON	E948RS
UK7E3	21605	REDUCER, PVC, SCHEDULE 40, 3" X 2"	CARLON	E952LJ
UK7E4	21606	REDUCER, PVC, SCHEDULE 40, 4" X 3"	CARLON	E952NL
UK7E5	21607	REDUCER, PVC, SCHEDULE 40, 5" X 4"	CARLON	E952PN

TDMIS ID	DOP Stock Code	Item Description	Manufacturer	Model
UK7E6	21608	REDUCER, PVC, SCHEDULE 40, 6" X 5"	CARLON	E952RP
UK7M2	20993	ADAPTER, STEEL TO PVC, MALE, 2"	CARLON	E943J
UK7M3		ADAPTER, STEEL TO PVC, MALE, 3"	CARLON	E943L
UK7M4	20995	ADAPTER, STEEL TO PVC, MALE, 4"	CARLON	E943N
UK7M5	21025	ADAPTER, STEEL TO PVC, MALE, 5"	CARLON	E943P
UK7M6		ADAPTER, STEEL TO PVC, MALE, 6"	CARLON	E943R
UK7S2	50064	CONDUIT, SPLIT DUCT, PVC, SCHEDULE 40, 2" OD	CARLON	49011SD-010
UK7S3		CONDUIT, SPLIT DUCT, PVC, SCHEDULE 40, 3" OD	CARLON	49013SD-010
UK7S4		CONDUIT, SPLIT DUCT, PVC, SCHEDULE 40, 4" OD	CARLON	49015SD-010
UK7S5		CONDUIT, SPLIT DUCT, PVC, SCHEDULE 40, 5" OD	CARLON	49016SD-010
UK7S6		CONDUIT, SPLIT DUCT, PVC, SCHEDULE 40, 6" OD	CARLON	49017SD-010
UK7T2	50031	CONDUIT, REPAIR KIT, SPLIT DUCT, PVC, SCHEDULE 40, 2" OD, 10 FT	CONDUIT REPAIR SYSTEMS	K2F
UK7T3		CONDUIT, REPAIR KIT, SPLIT DUCT, PVC, SCHEDULE 40, 3" OD, 10 FT	CONDUIT REPAIR SYSTEMS	K3F
UK7T4	50386	CONDUIT, REPAIR KIT, SPLIT DUCT, PVC, SCHEDULE 40, 4" OD, 10 FT	CONDUIT REPAIR SYSTEMS	K4F
UK7T5	50387	CONDUIT, REPAIR KIT, SPLIT DUCT, PVC, SCHEDULE 40, 5" OD, 10 FT	CONDUIT REPAIR SYSTEMS	K5F

TDMIS ID	DOP Stock Code	Item Description	Manufacturer	Model
UK7T6		CONDUIT, REPAIR KIT, SPLIT DUCT, PVC, SCHEDULE 40, 6" OD, 10 FT	CONDUIT REPAIR SYSTEMS	K6F
UK8W2		WEATHERHEAD, PVC, 2"		
UK8W3		WEATHERHEAD, PVC, 3"		
UK8W4		WEATHERHEAD, PVC, 4"		
UK9A1		CONDUIT, LIQUID-TIGHT, FLEXIBLE METAL, STEEL AND PVC, 1-1/4"	ABB	LTGES05G
UK9C1		FITTING, LIQUID-TIGHT, STRAIGHT, 1-1/4" NPT	ABB	5335
UPC00	50400	CABLE, 2/0 AWG, COPPER, TRIPLEXED, 15-KV, TAPE SHIELDED WITH 2/0 AWG 600-V NEUTRAL		
UPC0000CN	50408	CABLE, 4/0 AWG, COPPER, TRIPLEXED, 15-KV, WITH CONCENTRIC NEUTRAL		
UPC1000	50405	CABLE, 1000 MCM, COPPER, SINGLE CONDUCTOR, 15-KV, TAPE SHIELDED WITH 1000 MCM 600-V NEUTRAL		
UPC1000CN	50413	CABLE, 1000 MCM, COPPER, SINGLE CONDUCTOR, 15-KV, WITH CONCENTRIC NEUTRAL		
UPC2	50399	CABLE, 2 AWG, COPPER, TRIPLEXED, 15-KV, TAPE SHIELDED WITH 2 AWG 600-V NEUTRAL		
UPC2CN	50407	CABLE, 2 AWG, COPPER, TRIPLEXED, 15-KV, WITH CONCENTRIC NEUTRAL		
UPC2S	50398	CABLE, 2 AWG, COPPER, SINGLE CONDUCTOR, 15-KV, TAPE SHIELDED WITH 2 AWG 600-V NEUTRAL		
UPC2SCN	50406	CABLE, 2 AWG, COPPER, SINGLE CONDUCTOR, 15-KV, WITH CONCENTRIC NEUTRAL		
UPC350	50401	CABLE, 350 MCM, COPPER, TRIPLEXED, 15-KV, TAPE SHIELDED WITH 350 MCM 600-V NEUTRAL		

TDMIS ID	DOP Stock Code	Item Description	Manufacturer	Model
UPC500	50402	CABLE, 500 MCM, COPPER, TRIPLEXED, 15-KV, TAPE SHIELDED WITH 500 MCM 600-V NEUTRAL		
UPC500CCN	50410	CABLE, 500 MCM COMPACT, COPPER, TRIPLEXED, 15-KV, WITH FLAT STRAP CONCENTRIC NEUTRAL		
UPC500CN	50409	CABLE, 500 MCM, COPPER, TRIPLEXED, 15-KV, WITH CONCENTRIC NEUTRAL		
UPC750	50404	CABLE, 750 MCM, COPPER, TRIPLEXED, 15-KV, TAPE SHIELDED WITH 750 MCM 600-V NEUTRAL		
UPC750CN	50412	CABLE, 750 MCM, COPPER, TRIPLEXED, 15-KV, WITH CONCENTRIC NEUTRAL		
UPC750S	50403	CABLE, 750 MCM, COPPER, SINGLE CONDUCTOR, 15-KV, TAPE SHIELDED WITH 750 MCM 600-V NEUTRAL		
UPC750SCN	50411	CABLE, 750 MCM, COPPER, SINGLE CONDUCTOR, 15-KV, WITH CONCENTRIC NEUTRAL		
UR23E1B		Elbow Connector with Test Point, Loadbreak, 200 A, 15 kV, #1 AWG, 133% Cable Insulation	ELASTIMOLD	166LR-B5230
UR23E20B		Elbow Connector with Test Point, Loadbreak, 200 A, 15 kV, 2/0 AWG, 133% Cable Insulation	ELASTIMOLD	166LR-C5250
UR23E2A		Elbow Connector with Test Point, Loadbreak, 200 A, 15 kV, #2 AWG, 100% Cable Insulation	ELASTIMOLD	166LR-B5220
UR23E40A		Elbow Connector with Test Point, Loadbreak, 200 A, 15 kV, 4/0 AWG, 100% Cable Insulation	ELASTIMOLD	166LR-C5270
UR23L1		Elbow Compression Lug, 200 A, Bi-metal, #1 AWG	ELASTIMOLD	02500230
UR23L2		Elbow Compression Lug, 200 A, Bi-metal, #2 AWG	ELASTIMOLD	02500220
UR23L20		Elbow Compression Lug, 200 A, Bi-metal, 2/0 AWG	ELASTIMOLD	02500250
UR23L40		Elbow Compression Lug, 200 A, Bi-metal, 4/0 AWG	ELASTIMOLD	02500270

TDMIS ID	DOP Stock Code	Item Description	Manufacturer	Model
UR23P		Elbow Probe, 200 A	ELASTIMOLD	166LRF
UR24		Insulated Cap, 200 A, 15 kV	ELASTIMOLD	160DR
UR25		Cold-shrinkable Jacket Seal with Copper Braid and Constant Force Spring	ELASTIMOLD	200ECSG3
UR29A2		Feed Thru, 2-Way, Loadbreak, 200 A, 15 kV	ELASTIMOLD	164FT2-AB
UR29A3		Feed Thru, 3-Way, Loadbreak, 200 A, 15 kV	ELASTIMOLD	164FT3-AB
UR29B2		Feed Thru, Insert, 2-Way, Loadbreak, 200 A, 15 kV	ELASTIMOLD	1602A3R
UR36	20087	Bushing Well Insert, Loadbreak, 200 A, 15 kV	ELASTIMOLD	1601A4
UR38		Insulated Parking Bushing, 200 A, 15 kV	ELASTIMOLD	161SOP
UR40A10		Elbow, Surge Arrester, 200 A, 10 kV, 8.4 kV MCOV	ELASTIMOLD	167ESA-10
UR40A12		Elbow, Surge Arrester, 200 A, 12 kV, 10.2 kV MCOV	ELASTIMOLD	167ESA-12
UR40B10		Bushing, Surge Arrester, 200 A, 10 kV, 8.4 kV MCOV	ELASTIMOLD	167PSA-10
UR40B12		Bushing, Surge Arrester, 200 A, 12 kV, 10.2 kV MCOV	ELASTIMOLD	167PSA-12
UR60E		Elbow with Test Point, 600 A, 25 kV, Housing Only, with Stud	ELASTIMOLD	K655BLR
UR61		Threaded Stud, for 600 A Elbow, 25 kV	ELASTIMOLD	650SA
UR63A20		Cable Receptacle Kit, 600 A, 25 kV, 2/0 AWG, includes adapter, ring, and lug	ELASTIMOLD	655CK-G0250-ARR

TDMIS ID	DOP Stock Code	Item Description	Manufacturer	Model
UR63A350		Cable Receptacle Kit, 600 A, 25 kV, 350 AWG, includes adapter, ring, and lug	ELASTIMOLD	655CK-J0300-ARR
UR63A40		Cable Receptacle Kit, 600 A, 25 kV, 4/0 AWG, includes adapter, ring, and lug	ELASTIMOLD	655CK-H0270-ARR
UR63A500		Cable Receptacle Kit, 600 A, 25 kV, 500 AWG, includes adapter, ring, and lug	ELASTIMOLD	655CK-K0330-ARR
UR63A750		Cable Receptacle Kit, 600 A, 25 kV, 750 AWG, includes adapter, ring, and lug	ELASTIMOLD	655CK-M0380-ARR
UR65		Insulated Cap, 600 A, with Stud, 25 kV	ELASTIMOLD	K656DR
UR66		Connecting Plug, 600 A, with Stud, 25 kV	ELASTIMOLD	K651CP-S
UR67		Plug, Insulating, with Cap, 600 A, 25 kV	ELASTIMOLD	K650BIP-S
UR68		Reducing Tap Well, 600 A Deadbreak to 200 A Loadbreak, 15 kV	ELASTIMOLD	650ETP-S
UR69		Bushing Extension, 600 A, with Stud, 25 kV	ELASTIMOLD	K655BE
UR70		Wrench, Spanner	ELASTIMOLD	600SW
UR71H		Joint, Seperable Deadbreak, 4-Way, 600 A, Bus Only, 25 kV	ELASTIMOLD	K656CH-BUS
UR71Y		Joint, Seperable Deadbreak, 4-Way, 600 A, Bus Only, 25 kV	ELASTIMOLD	K656CY-BUS
UR73		Cap, Insulating, 600 A, with Bail, 25 kV	ELASTIMOLD	K655YDR
UR74A20		Joint, Vault Stretcher, 2-Way Kit, 600 A, 2/0 AWG, 25 kV	ELASTIMOLD	K655VS-L2-G0250-SG3
UR74A350		Joint, Vault Stretcher, 2-Way Kit, 600 A, 350 AWG, 25 kV	ELASTIMOLD	K655VS-L2-J0300-SG3

TDMIS ID	DOP Stock Code	Item Description	Manufacturer	Model
UR74A40		Joint, Vault Stretcher, 2-Way Kit, 600 A, 4/0 AWG, 25 kV	ELASTIMOLD	K655VS-L2-H0270
UR74A500		Joint, Vault Stretcher, 2-Way Kit, 600 A, 500 AWG, 25 kV	ELASTIMOLD	K655VS-L2-K0330
UR74A750		Joint, Vault Stretcher, 2-Way Kit, 600 A, 750 AWG, 25 kV	ELASTIMOLD	K655VS-L2-M0380
USC00	19952	CABLE, COPPER, XLPE, 1/C, 600 V, 2/0 AWG, 19 STRAND		
USC0000	19959	CABLE, COPPER, XLPE, 1/C, 600 V, 4/0 AWG, 19 STRAND		
USC1M	19982	CABLE, COPPER, XLPE, 1/C, 600 V, 1000 MCM, 61 STRAND		
USC2	20096	CABLE, COPPER, THW, 1/C, 600 V, 2 AWG, 7 STRAND		
USC350	19966	CABLE, COPPER, XLPE, 1/C, 600 V, 350 MCM, 37 STRAND		
USC500	19969	CABLE, COPPER, XLPE, 1/C, 600 V, 500 MCM, 37 STRAND		
USC750	19977	CABLE, COPPER, XLPE, 1/C, 600 V, 750 MCM, 61 STRAND		
USCT0	78837	CABLE, COPPER, XLPE, 3/C TRIPLEX, 600 V, 1/0 AWG, 19 STRAND		
USCT2	19950	CABLE, COPPER, XLPE, 3/C TRIPLEX, 600 V, 2 AWG, 7 STRAND		
UT1		TAPE, MARKING, UNDERGROUND CABLE	IDEAL INDUSTRIES	42-251
WC10K	20079	WIRE, COPPER, THW, 600 V, 10 AWG, 7 STRAND, YELLOW		
WC10N	78649	WIRE, COPPER, THW, 600 V, 10 AWG, 7 STRAND, GREEN		

TDMIS ID	DOP Stock Code	Item Description	Manufacturer	Model
WC10W	20080	WIRE, COPPER, THW, 600 V, 10 AWG, 7 STRAND, WHITE		
WC10X4	20202	CABLE, CONTROL, COPPER, XLPE, 4/C, 600 V, 10 AWG, 7 STRAND		
WC1212	20204	CABLE, CONTROL, COPPER, XLPE, 12/C, 600 V, 12 AWG, 7 STRAND		
WC12B	20074	WIRE, COPPER, THW, 600 V, 12 AWG, 7 STRAND, BROWN		
WC12G	20069	WIRE, COPPER, THW, 600 V, 12 AWG, 7 STRAND, GRAY		
WC12K	20076	WIRE, COPPER, THW, 600 V, 12 AWG, 7 STRAND, BLACK		
WC12L	20077	WIRE, COPPER, THW, 600 V, 12 AWG, 7 STRAND, BLUE		
WC12N	20072	WIRE, COPPER, THW, 600 V, 12 AWG, 7 STRAND, GREEN		
WC12O	20073	WIRE, COPPER, THW, 600 V, 12 AWG, 7 STRAND, ORANGE		
WC12P	20070	WIRE, COPPER, THW, 600 V, 12 AWG, 7 STRAND, PURPLE		
WC12R	20078	WIRE, COPPER, THW, 600 V, 12 AWG, 7 STRAND, RED		
WC12W	20075	WIRE, COPPER, THW, 600 V, 12 AWG, 7 STRAND, WHITE		
WC12X4	20201	CABLE, CONTROL, COPPER, XLPE, 4/C, 600 V, 12 AWG, 7 STRAND		
WC12Y	20071	WIRE, COPPER, THW, 600 V, 12 AWG, 7 STRAND, YELLOW		
WC4K	20090	CABLE, COPPER, THW, 1/C, 600V, 4 AWG, 7 STRAND, BLACK		

TDMIS ID	DOP Stock Code	Item Description	Manufacturer	Model
WC4W	20089	CABLE, COPPER, THW, 1/C, 600V, 4 AWG, 7 STRAND, WHITE		
WC8X4	20203	CABLE, CONTROL, COPPER, XLPE, 4/C, 600 V, 8 AWG, 7 STRAND		
WCS10K	78855	WIRE, SIS, COPPER, FR-XLPE, 1/C, 600 V, 10 AWG, 105 STRAND, BLACK		
WCS10L	78856	WIRE, SIS, COPPER, FR-XLPE, 1/C, 600 V, 10 AWG, 105 STRAND, BLUE		
WCS10N	78857	WIRE, SIS, COPPER, FR-XLPE, 1/C, 600 V, 10 AWG, 105 STRAND, GREEN		
WCS10R	78858	WIRE, SIS, COPPER, FR-XLPE, 1/C, 600 V, 10 AWG, 105 STRAND, RED		
WCS10W	78859	WIRE, SIS, COPPER, FR-XLPE, 1/C, 600 V, 10 AWG, 105 STRAND, WHITE		
WCS12L	78860	WIRE, SIS, COPPER, FR-XLPE, 1/C, 600 V, 12 AWG, 65 STRAND, BLUE		
WCS12N	78861	WIRE, SIS, COPPER, FR-XLPE, 1/C, 600 V, 12 AWG, 65 STRAND, GREEN		
WCS12R	78862	WIRE, SIS, COPPER, FR-XLPE, 1/C, 600 V, 12 AWG, 65 STRAND, RED		
WCS12W	78863	WIRE, SIS, COPPER, FR-XLPE, 1/C, 600 V, 12 AWG, 65 STRAND, WHITE		
WCS8K	20199	WIRE, SIS, COPPER, FR-XLPE, 1/C, 600 V, 8 AWG, 133 STRAND		
WCSO10	78851	WIRE, COPPER, SOOW, 3/C, 600 V, 10 AWG, 104/30 STRAND		
WCSO12	78852	WIRE, COPPER, SOOW, 3/C, 600 V, 12 AWG, 65/30 STRAND		
WCSS12K	19991	CABLE, SIS, COPPER, FR-XLPE, 1/C, 600 V, 12 AWG, 65 STRAND		

TDMIS ID	DOP Stock Code	Item Description	Manufacturer	Model
WM1	78847	WIRE, ALUMOWELD-ALUMINUM, MESSENGER, BARE, 252 AWA, 7 STRAND		
WM2	78846	WIRE, ALUMOWELD-ALUMINUM, MESSENGER, BARE, 0052 AWA, 7 STRAND		
WPA1	20081	WIRE, TIE, ALUMINUM, BARE, 6 AWG, SOLID		
WPA2	78864	WIRE, TIE, ALUMINUM, BARE, 4 AWG, SOLID		
WPA3	78838	WIRE, AAAC, BARE, 1/0 AWG, 7 STRAND, AZUSA		
WPA4	78839	WIRE, AAC, BARE, 477 KCMIL, 19 STRAND, COSMOS		
WPA5	19981	WIRE, ACSR, BARE, 795 KCMIL, 26 STRAND, DRAKE		
WPC1	20082	WIRE, TIE, COPPER, BARE, 6 AWG, SOLID		
WPC2	78850	WIRE, COPPER, BARE, 4 AWG, SOLID		
WPC2A	78848	WIRE, COPPER, ANTI-THEFT, BARE, 4 AWG, SOLID		
WPC3	20095	WIRE, COPPER, BARE, 2 AWG, 7 STRAND		
WPC3X	20097	WIRE, COPPER, WEATHERPROOF XLPE, 2 AWG, 7 STRAND		
WPC4	19951	WIRE, COPPER, BARE, 2/0 AWG, 7 STRAND		
WPC4A	78849	WIRE, COPPER, BARE, 2/0 AWG, 19 STRAND		
WPC5	19958	WIRE, COPPER, BARE, 4/0 AWG, 7 STRAND		

TDMIS ID	DOP Stock Code	Item Description	Manufacturer	Model
WPC5C	68004	WIRE, COPPERWELD, BARE, 4/0 AWG, 19 STRAND		
WPC5X	78853	WIRE, COPPER, WEATHERPROOF XLPE, 600 V, 4/0 AWG, 7 STRAND		
WPC6X	78854	WIRE, COPPER, WEATHERPROOF XLPE, 600 V, 500 MCM, 37 STRAND		
WPS1	78840	WIRE, ALUMINUM, SPACER, 15 KV, 1/0 AWG, 7 STRAND		
WPS2	19967	WIRE, ALUMINUM, SPACER, 15 KV, 556 KCMIL, 19 STRAND		
WSAD1	20085	WIRE, ALUMINUM, XLPE, DUPLEX WITH ACSR NEUTRAL, 600 V, 6 AWG, 7 STRAND, SHEPARD		
WSAD2	78841	WIRE, ALUMINUM, XLPE, DUPLEX WITH ACSR NEUTRAL, 600 V, 2 AWG, 7 STRAND, CHOW		
WSAQ1	78842	WIRE, ALUMINUM, XLPE, QUADRAPLEX WITH ACSR NEUTRAL, 600 V, 1/0 AWG, 9 STRAND, COSTENA		
WSAQ2	78843	WIRE, ALUMINUM, XLPE, QUADRAPLEX WITH ACSR NEUTRAL, 600 V, 336.4 KCMIL, 19 STRAND, BRONCO		
WSAT0	20098	WIRE, ALUMINUM, XLPE, TRIPLEX WITH ACSR NEUTRAL, 600 V, 2 AWG, 7 STRAND, CONCH		
WSAT1	78844	WIRE, ALUMINUM, XLPE, TRIPLEX WITH ACSR NEUTRAL, 600 V, 1/0 AWG, 7 STRAND, NERITINA		
WSAT2	78845	WIRE, ALUMINUM, XLPE, TRIPLEX WITH ACSR NEUTRAL, 600 V, 336.4 KCMIL, 19 STRAND, LIMPET		
XA10	19295	CROSSARM, WOODEN, 10' L, 3-3/4" X 4-1/2"		
XA8	19294	CROSSARM, WOODEN, 8' L, 3-1/2" X 4-1/2"		