



NOTE:

THIS DETAIL DEFINES THE LIMITS OF PAYMENT FOR 8" CONCRETE SIDEWALK, WHICH INCLUDES CURB RAMPS.

EIGHT-INCH SIDEWALK IS NOT REQUIRED FOR SIDEWALK WHICH IS BEHIND A MINIMUM SIX FOOT WIDE TREE LAWN. THE RAMP FROM SIDEWALK TO CURB WILL BE 8" CONCRETE

WHERE SIDEWALK ABUTS THE CURB, THE ENTIRE WIDTH OF THE SIDEWALK WITHIN THE LIMITS SHOWN SHALL BE 8" CONCRETE.

ALL OTHER CONCRETE SIDEWALK INSTALLED AT THIS LOCATION OUTSIDE THIS BOUNDARY WILL BE PAID AT THE 4" CONCRETE SIDEWALK PRICE. ANY CHANGES TO THIS CRITERIA OR DETAIL MUST BE APPROVED BY THE ENGINEER.

WHERE NO CURB EXISTS PROVIDE 8" CONCRETE FROM EDGE OF PAVEMENT TO WALK OR PUSHBUTTON.

8" CONCRETE SIDEWALK AT AN INTERSECTION WITH AN ARTERIAL STREET

CITY OF COLUMBUS, OHIO DEPARTMENT OF PUBLIC SERVICE DIVISION OF DESIGN AND CONSTRUCTION	STD DWG 2303 07/01/20 SHT 1 OF 1
CITY ENGINEER	