



NOTE:

THIS DETAIL DEFINES THE LIMITS OF PAYMENT FOR 8" CONCRETE SIDEWALK, WHICH INCLUDES CURB RAMPS.

8" CONCRETE SIDEWALK IS NOT REQUIRED FOR SIDEWALK WHICH IS BEHIND A 6' OR WIDER TREE LAWN. THE RAMP FROM SIDEWALK TO CURB WILL STILL BE 8" CONCRETE

WHERE SIDEWALK ABUTS THE CURB, THE ENTIRE WIDTH OF THE SIDEWALK WITHIN THE LIMITS SHOWN SHALL BE 8" CONCRETE.

ALL OTHER CONCRETE SIDEWALK INSTALLED AT THIS LOCATION OUTSIDE THIS BOUNDARY WILL BE PAID AT THE 4" CONCRETE SIDEWALK PRICE. ANY CHANGES TO THIS CRITERIA OR DETAIL MUST BE APPROVED BY THE ENGINEER.

WHERE NO CURB EXISTS PROVIDE 8" CONCRETE FROM EDGE OF PAVEMENT TO WALK OR PUSHBUTTON.

FOR BRICK OR PAVER SIDEWALK, SEE STANDARD DRAWING 2319.

8" CONCRETE SIDEWALK AT AN INTERSECTION WITH AN ARTERIAL STREET

CITY OF COLUMBUS, OHIO
DEPARTMENT OF PUBLIC SERVICE
DIVISION OF DESIGN AND CONSTRUCTION

CITY ENGINEER

STD DWG

2303

07/01/2021

SHT 1 OF 1