

Hoover

| Common Name | Scientific Name | Sunlight | Soil | Moisture | Height | Bloom Color | Bloom time |
|---------------------|------------------------------|-----------------|------------------------|-----------------|---------------|-----------------------------|-------------------|
| <u>Trees</u> | | | | | | | |
| Deciduous | | | | | | | |
| Boxelder | <i>Acer negundo</i> | F, P, S | Various Soils | Moist, Dry | 35' - 50' | Yellow, Green, Brown | March - April |
| Red Maple | <i>Acer rubrum</i> | F, P, S | Various Soils | Wet, Moist | 50' - 100' | Red | March - April |
| Silver Maple | <i>Acer saccharinum</i> | F, P, S | Various Soils | Moist | 75' - 100' | White, Red, Yellow | March - April |
| Sugar Maple | <i>Acer saccharum</i> | F, P, S | Well Drained Soils | Moist, Dry | 60' - 75' | Yellow, Green, Brown | April |
| Ohio Buckeye | <i>Aesculus glabra</i> | F, P | Acidic Soils | Moist | 50' - 75' | Yellow, Green, Brown | March - May |
| Serviceberry | <i>Amelanchier arborea</i> | F, P, S | Acidic Soils | Moist | 35' | White | April |
| Paw Paw | <i>Asimina triloba</i> | F, P, S | Sand, Clay, Loam | Moist | 40' | White, Red, Yellow, Purple | April - May |
| Ironwood | <i>Carpinus caroliniana</i> | P, S | Sand, Clay, Loam | Moist | 35' - 50' | Red, Green, Brown | March - May |
| Pignut Hickory | <i>Carya glabra</i> | F, P, S | Loam, Silty Clay | Dry | 50' - 100' | Yellow, Green, Brown | April |
| Shagbark Hickory | <i>Carya ovata</i> | F, P, S | Sand, Clay, Loam | Dry, Moist | 60' - 80' | Green, Brown | March - June |
| Mockernut Hickory | <i>Carya tomentosa</i> | F, P | Sand, Clay, Loam | Dry, Moist | 60' | Yellow, Green | April - May |
| Hackberry | <i>Celtis occidentalis</i> | F, P, S | Fertile Soils | Dry, Moist | 60' - 100' | Green, Brown | April |
| Flowering Dogwood | <i>Cornus florida</i> | P, S | Acidic, Sand, Loam | Dry, Moist | 15' - 30' | White, Pink | March - Oct |
| American Beech | <i>Fagus grandifolia</i> | P, S | Sand, Loam | Moist | 50' - 80' | Yellow, Green, Brown | April - May |
| Honey Locust | <i>Gleditsia triacanthos</i> | P | Loam, Clay | Moist | 30' - 75' | Yellow | May - June |
| Butternut | <i>Juglans cinerea</i> | F, P | Fertile Soils | Moist | 50' - 75' | Green, Brown | April - May |
| Black Walnut | <i>Juglans nigra</i> | F, P | Fertile Soils, Loam | Moist | 50' - 75' | Yellow, Green, Brown | April - May |
| Eastern Hophornbeam | <i>Ostrya virginiana</i> | F, P, S | Fertile Soils | Dry, Moist | 30' - 50' | White, Yellow, Green, Brown | April |
| Sycamore | <i>Planatus occidentalis</i> | F, P, S | Sandy Loam, Silty Clay | Moist | 75' - 100' | Red, Yellow, Green, Brown | March - April |
| Cottonwood | <i>Populus deltoides</i> | F, P, S | Sand, Clay, Loam | Dry, Moist, Wet | 80' - 100' | Yellow | March - April |
| Black Cherry | <i>Prunus serotina</i> | F, P, S | Well Drained Soils | Dry, Moist | 75' - 100' | White | March - June |
| Wafer Ash | <i>Ptelea trifoliata</i> | F, P, S | Sand, Loam, Clay | Dry, Moist, Wet | 12' - 36' | White, Green, Brown | April |
| White Oak | <i>Quercus alba</i> | F, P, S | Sand, Clay, Loam | Moist, Dry | 75' - 100' | Red, Yellow, Green, Brown | March - May |
| Swamp White Oak | <i>Quercus bicolor</i> | F, P, S | Loam, Clay | Wet, Moist | 50' - 70' | Red, Yellow, Green | March - May |
| Shingle Oak | <i>Quercus imbricaria</i> | F, P | Clay, Loam, Sand | Moist, Dry | 50' - 60' | Yellow | March - May |
| Bur Oak | <i>Quercus macrocarpa</i> | F, P, S | Sand, Loam, Clay | Dry, Moist, Wet | 75' - 100' | Yellow, Green, Brown | March - May |
| Chinquapin Oak | <i>Quercus muehlenbergii</i> | F, P | Rocky, Sand | Dry | 75' - 100' | Yellow, Green, Brown | March - May |
| Pin Oak | <i>Quercus palustris</i> | F, P, S | Loam, Clay | Wet, Moist | 50' - 90' | Yellow, Green, Brown | March - May |

Hoover Reservoir Land Stewardship Plant List - Revised 2015

| | | | | | | | |
|-------------------|-----------------------------|---------|-------------------------|------------|-----------|---------------------------|---------------|
| Red Oak | <i>Quercus rubra</i> | F, P, S | Well Drained Soil, Loam | Moist, Dry | 70' - 90' | Yellow, Green, Brown | March - May |
| Black Oak | <i>Quercus velutina</i> | F, P | Sand, Fertile Soils | Dry | 50' - 60' | Yellow, Green, Brown | March - May |
| Black Willow | <i>Salix nigra</i> | F, P, S | Sand, Clay, Loam | Wet, Moist | 50' | Yellow | April - May |
| Sassafras | <i>Sassafras albidum</i> | F, P, S | Sand, Sandy Loam | Moist | 35' - 50' | Yellow, Green, Brown | March - May |
| American Basswood | <i>Tilia Americana</i> | F, P, S | Well Drained Soil, Loam | Dry, Moist | 60' - 80' | Yellow | April - July |
| American Elm | <i>Ulmus americana</i> | F, P | Sand, Clay, Loam | Moist | 60' - 80' | Red, Green | March - April |
| Slippery Elm | <i>Ulmus rubra</i> | F, P | Fertile Soils | Moist | 40' - 60' | Red, Yellow, Green, Brown | March - April |
| Blackhaw | <i>Viburnum prunifolium</i> | P, S | Well Drained Soils | Moist | 15' - 20' | White | April - May |

Evergreen

| | | | | | | | |
|-------------------|-----------------------------|---------|------------|------------|-----|----------------------|-------------|
| Eastern Red Cedar | <i>Juniperus virginiana</i> | F, P, S | Clay, Sand | Moist, Dry | 20' | Green, Purple, Brown | March - May |
|-------------------|-----------------------------|---------|------------|------------|-----|----------------------|-------------|

Shrubs

| | | | | | | | |
|--------------------|----------------------------------|---------|----------------------|-----------------|-----------|---------------------|----------------|
| Buttonbush | <i>Cephalanthus occidentalis</i> | F, P | Sand, Loam, Clay | Wet, Moist | 12' | White | June - Aug |
| Silky Dogwood | <i>Cornus amomum</i> | F, P | Sand, Loam, Clay | Wet, Moist | 3' - 10' | White | May - July |
| Eastern Wahoo | <i>Euonymus atropurpureus</i> | P, S | Fertile Soils | Moist | 5' - 20' | Pink, Red seed pods | August - Oct |
| Spicebush | <i>Lindera benzoin</i> | F, P, S | Fertile Soils | Moist | 15' | Yellow | April - May |
| Ninebark | <i>Physocarpus opulifolius</i> | F, P, S | Clay, Loam | Dry, Moist, Wet | 3' - 10' | White, Pink | May - June |
| Pasture Rose | <i>Rosa carolina</i> | F, P | Rocky or Sandy Soils | Dry, Moist, Wet | 1' - 3' | Pink flowers | May - June |
| Sandbar Willow | <i>Salix exigua</i> | F, P | Sand, Sandy Gravel | Wet, Moist | 7' - 20' | White | March - April |
| Shining Willow | <i>Salix lucida</i> | F, P, S | Clay, Loam | Wet, Moist | 12' - 20' | Yellow | April - May |
| Bladdernut | <i>Staphylea trifolia</i> | S | Sand, Silty Loam | Wet, Moist | 8' - 15' | Brown bladders | Sept - Nov |
| Mapleleaf Viburnum | <i>Viburnum acerifolium</i> | F, P, S | Sand, Loam, Clay | Dry, Moist | 4' - 6' | White | April - August |
| Arrowwood | <i>Viburnum dentatum</i> | F, P | Sand, Loam | Wet, Moist, Dry | 5' - 9' | White | May - June |

Vines and Ferns

| | | | | | | | |
|------------------|------------------------------------|---------|------------------|------------|----------|--------------|-------------|
| Virgin's Bower | <i>Clematis virginiana</i> | P, S | Sand, Loam, Clay | Wet, Moist | 6' - 9' | White | July - Sept |
| Sensitive Fern | <i>Onoclea sensibilis</i> | P, S | Sand, Sandy Loam | Wet, Moist | 1' - 3' | Green | June - Nov |
| Virginia Creeper | <i>Parthenocissus quinquefolia</i> | F, P, S | Sand, Loam, Clay | Moist | 3' - 40' | Green, White | May - June |
| Christmas Fern | <i>Polytichum acrostichoides</i> | P, S | Sand, Loam | Moist | 1' - 2' | Green | June - Nov |

Grasses

| | | | | | | | |
|--------------------|--------------------------------|---------|-------------------|---------------|---------|--------------------|---------------|
| Big Bluestem | <i>Andropogon gerardi</i> | F, P | Sand, Clay, Loam | Moist | 4' - 8' | Red, Blue, Brown | August - Nov |
| Broom Sedge | <i>Andropogon virginicus</i> | P | Sandy Soils, Loam | Moist | 2' - 5' | Yellow | Sept - Nov |
| Fringed Brome | <i>Bromus ciliatus</i> | F, P, S | Fertile Soils | Moist | 2' - 4' | Yellow, hanging | July - August |
| Barnyard Grass | <i>Echinochloa muricata</i> | F, P | Loam, Silty | Moist, Wet | 1' - 3' | Yellow, Green | July - Sept |
| Bottlebrush Grass | <i>Elymus hystrix</i> | F, P | Loam | Dry, Moist | 3' - 5' | Green | June - August |
| Riverbank Wild Rye | <i>Elymus riparius</i> | P, S | Sand, Clay, Loam | Moist | 4' | Yellow | July |
| Virginia Wild Rye | <i>Elymus virginicus</i> | P | Sand, Clay, Loam | Moist | 2' - 4' | Yellow | March - May |
| Purple Lovegrass | <i>Eragrostis spectabilis</i> | F | Sandy Soils | Moist | 1' - 3' | Red, Purple | August - Oct |
| Sheep Fescue | <i>Festuca ovina</i> | F, P | Rocky, Clay | Dry, Moist | 1' - 3' | Yellow, Green | July - Sept |
| Fowl Manna Grass | <i>Glyceria striata</i> | F, P | Fertile Soils | Moist, Wet | 2' - 3' | Green | June - August |
| Rice Cut Grass | <i>Leersia oryzoides</i> | P | Various Soils | Wet, Standing | 2' - 5' | Green | June - Oct |
| Nimble Will | <i>Muhlenbergia schreberi</i> | P, S | Fertile Soils | Moist | 1' - 3' | Green | July - Sept |
| Deer Tongue | <i>Panicum clandestinum</i> | F | Clay, Loam, Sand | Wet, Moist | 1' - 4' | Green | May - Sept |
| Little Bluestem | <i>Schizachyrium scoparium</i> | F, P | Sand, Clay, Loam | Dry, Moist | 2' - 5' | White, Green, Blue | June - Dec |
| Indian Grass | <i>Sorghastrum nutans</i> | F, P, S | Clay, Loam | Dry, Moist | 3' - 8' | Yellow | August - Oct |
| Purple Top | <i>Tridens flavus</i> | P | Sand, Clay, Loam | Dry | 2' - 7' | Purple | August - Nov |

Sedges, Rushes and Horsetails

| | | | | | | | |
|-----------------------------|----------------------------|---------|--------------------|---------------|---------|--------------------------------|---------------|
| Bracted Oak Sedge | <i>Carex cephalophora</i> | F, P, S | Loam, Rock, Sand | Moist, Wet | 1' - 2' | Green | May - June |
| Crested Oval Sedge | <i>Carex cristatella</i> | F, P | Loam, Silt | Moist, Wet | 1' - 3' | Green | May - July |
| Awned Graceful Sedge | <i>Carex davisii</i> | F, P, S | Clay, Silt, Sand | Wet | 1' - 3' | Green, Brown | May - June |
| Pale Sedge | <i>Carex granularis</i> | F, P, S | Clay, Loam | Dry, Moist | 1' - 2' | Green tufts | April - July |
| Common Oak Sedge | <i>Carex pennsylvanica</i> | F, P, S | Loam, Clay, Silt | Dry, Moist | 1' - 2' | Green, Brown seed heads | May - July |
| Curly-styled Wood Sedge | <i>Carex rosea</i> | P, S | Sand, Loam | Dry, Moist | 1' - 2' | Green | April - May |
| Short's Sedge | <i>Carex shortiana</i> | F, P, S | Loam, Silt | Wet | 1' - 3' | Brown | May - July |
| Rough-clustered Sedge | <i>Carex sparganoides</i> | P, S | Clay, Silt, Sand | Wet | 1' - 2' | Green | April - May |
| Narrow-leaved Cattail Sedge | <i>Carex squarrosa</i> | P, S | Loam, Silt, Gravel | Moist, Wet | 1' - 3' | Green, yellow spikelets | April - June |
| Common Tussock Sedge | <i>Carex stricta</i> | F | Clay, Silt, Sand | Wet, Standing | 1' - 3' | Green, Brown seed heads | May - June |
| Awl-fruited Sedge | <i>Carex tribuloides</i> | F | Clay, Silt, Sand | Wet, Standing | 2' - 3' | Green, Brown tufts | April |
| Fox Sedge | <i>Carex vulpinoidea</i> | F | Clay, Loam | Moist, Wet | 1' - 3' | Green, Yellow bristly heads | July - August |
| Field Nut Sedge | <i>Cyperus esculentus</i> | F, P | Various Soils | Moist | 1' - 3' | Brown, Yellow | June - Oct |
| Blunt Spike Rush | <i>Eleocharis obtusa</i> | F | Sand, Gravel, Clay | Moist, Wet | 1' - 2' | Circular flower with no petals | June - Nov |
| Tall Scouring Rush | <i>Equisetum hyemale</i> | F, P, S | Clay, Silt, Sand | Moist, Wet | 1' - 3' | Green, yellow bulbs | March - Nov |

Hoover Reservoir Land Stewardship Plant List - Revised 2015

| | | | | | | | |
|-------------------|---------------------------|------|------------------|---------------|---------|----------------|--------------|
| Common Rush | <i>Juncus effusus</i> | F | Clay, Loam, Sand | Moist, Wet | 1' - 2' | Green, Brown | July - Sept |
| Grass-leaved Rush | <i>Juncus marginatus</i> | P | Sand, Loam, Clay | Moist | 1' - 2' | Brown clusters | April - May |
| Path Rush | <i>Juncus tenuis</i> | F, P | Loam, Silt, Sand | Dry, Moist | 1' - 3' | Green | April - May |
| Dark Green Rush | <i>Scirpus atrovirens</i> | F | Sand, Loam, Silt | Wet | 2' - 4' | Green, Brown | May - August |
| Wool Grass | <i>Scirpus cyperinus</i> | F | Clay, Silt, Sand | Wet, Standing | 3' - 6' | Green, Brown | June - Sept |
| Red Bulrush | <i>Scirpus pendulus</i> | F, P | Loam, Silt, Clay | Moist, Wet | 2' - 4' | Red | April - May |

Flowers

| | | | | | | | |
|-------------------------------|----------------------------------|---------|---------------------|------------|---------|---------------------------------------|---------------|
| Yarrow | <i>Achillea millefolium</i> | F, P | Various Soils | Dry | 1' - 3' | White flower clusters | April - Sept |
| White Baneberry Doll's Eye | <i>Actea pachypoda</i> | P, S | Various Soils | Moist, Wet | 1' - 3' | White flower clusters, white fruit | April - June |
| Small-flowered Agrimony | <i>Agrimonia parviflora</i> | F, P | Loam, Sand, Gravel | Moist | 2' - 5' | Yellow flowers | August - Sept |
| Wild Onion | <i>Allium canadense</i> | F, P | Various Soils | Moist | 1' | White, pink flower bulb | May - July |
| Wild Leek | <i>Allium tricoccum</i> | S | Fertile Soils | Moist | 1' | White flower bulb | May - July |
| Thimbleweed | <i>Anemone virginiana</i> | F, P | Fertile Soils | Dry, Moist | 2' - 3' | White flower, yellow center | May - July |
| Rue Anemone | <i>Anemonella thalictroides</i> | P, S | Loam | Moist, Dry | 1' | White flowers, yellow center | March - June |
| Spreading Dogbane | <i>Apocynum androsaemifolium</i> | F, P, S | Sand, Gravel | Dry | 2' - 5' | Pink, white flower clusters | June - August |
| Indian Hemp | <i>Apocynum cannabinum</i> | P | Fertile Soils | Moist | 3' - 4' | White flower clusters | May - August |
| Jack-in-the-pulpit | <i>Arisaema triphyllum</i> | F, P | Fertile Soils | Moist, Wet | 1' - 3' | Red fruit clusters | March - June |
| Wild Ginger | <i>Asarum canadense</i> | P, S | Fertile Soils | Moist | 1' | Small red, purple flower | April - June |
| Common Milkweed | <i>Asclepias syriaca</i> | F | Sand, Clay, Loam | Moist | 3' - 5' | White, purple spheres | June - August |
| Woodland Aster | <i>Aster divaricatus</i> | P, S | Sand, Loam, Clay | Dry, Moist | 2' - 3' | White flower clusters | August - Oct |
| New England Aster | <i>Aster nova-angliae</i> | P | Sand, Loam, Clay | Moist | 3' - 6' | Purple flower clusters | August - Oct |
| Bristly Aster | <i>Aster puniceus</i> | F, P | Fertile Soils | Wet, Moist | 1' - 6' | Blue, violet flower, brown center | August - Oct |
| Arrow-leaved Aster | <i>Aster sagittifolius</i> | F, P, S | Sand, Loam | Dry, Moist | 1' - 3' | Pale blue to white flower | August- Oct |
| White Wild Indigo | <i>Baptisia lactea</i> | F, P | Sand, Loam, Clay | Dry, Moist | 2' - 4' | Green fruit blooming to white flowers | May - July |
| Tall Bellflower | <i>Campanula americana</i> | P, S | Fertile Soils | Moist | 3' - 4' | Blue, purple flowers | June - August |
| Partridge Pea | <i>Chamaecrista fasciculata</i> | F, P | Sandy Soils, Loam | Dry, Moist | 1' - 3' | Yellow flowers | June - Oct |
| Common Wood Reed | <i>Cinna arundinacea</i> | P | Loam, Fertile Soils | Dry | 3' - 5' | Green Tufts | June - August |
| Purple Coneflower | <i>Echinacea purpurea</i> | F, P | Sand, Loam | Dry | 2' - 5' | Bright pink, purple flowers | April - Sept |
| Boneset | <i>Eupatorium perfoliatum</i> | F, P, S | Fertile Soils | Moist, Wet | 3' - 6' | White flower clusters | June - Oct |
| Purple Joe Pye Weed | <i>Eupatorium purpureum</i> | F, P, S | Fertile Soils | Moist, Dry | 2' - 6' | Pink, purple flower clusters | July - Sept |
| White Snakeroot | <i>Eupatorium rugosum</i> | P, S | Fertile Soils | Moist | 3' - 4' | White flower clusters | August - Oct |
| Flowering Spurge | <i>Euphorbia corollata</i> | F | Loam, Clay, Sand | Dry | 1' - 3' | White flower clusters | June - Oct |
| Common Grass-leaved Goldenrod | <i>Euthamia graminifolia</i> | F | Average Soils | Moist | 1' - 4' | Yellow flower clusters | July - Sept |

Reservoir plant lists are subject periodic revision. The most current list is available at <https://columbus.gov/watershed/>

Hoover Reservoir Land Stewardship Plant List - Revised 2015

| | | | | | | | |
|-------------------------|---------------------------------|---------|--------------------------|-----------------|---------|-------------------------------------|----------------|
| Wild Geranium | <i>Geranium maculatum</i> | P, S | Fertile Soils | Moist | 1' - 3' | White, pink, purple flowers | March - July |
| White Avens | <i>Geum canadense</i> | P, S | Sand, Loam, Clay | Moist | 1' - 3' | Small white flowers | April - June |
| Pale-leaved Sunflower | <i>Helianthus strumosus</i> | F, P, S | Sand, Loam, Clay | Dry | 4' - 7' | Yellow flowers | July - Sept |
| Spotted Jewelweed | <i>Impatiens capensis</i> | S | Clay, Loam, Sand | Moist, Wet | 2' - 5' | Orange, yellow flowers | July - Oct |
| Pale Jewelweed | <i>Impatiens palida</i> | P | Loam, Silt | Moist, Wet | 3' - 6' | Medium size yellow flowers | June - August |
| Two-flowered Cynthia | <i>Krigia biflora</i> | F | Sandy Soils | Dry, Moist | 1' | Orange, yellow flowers | May - August |
| Prairie Blazing Star | <i>Liatris pycnostachya</i> | F | Rocky Soils, Sandy Soils | Dry, Moist | 2' - 5' | Pink, purple flowers on spike | August - Nov |
| Virginia Bluebells | <i>Mertensia virginica</i> | P, S | Sand, Loam, Clay | Moist | 1' - 2' | Pink, blue, purple flowers | March - June |
| Wild Bergamot | <i>Monarda fistulosa</i> | F, P | Various Soils | Dry, Moist | 2' - 5' | Pink, purple flowers | May - Sept |
| Foxglove Beardtongue | <i>Penstemon digitalis</i> | F, P | Loam, Sand | Dry, Moist, Wet | 2' - 5' | White flower clusters | May - July |
| Wild Blue Phlox | <i>Phlox divaricata</i> | P, S | Sand, Loam, Clay | Moist | 1' - 2' | White, pink, purple flower clusters | March - May |
| May Apple | <i>Podophyllum peltatum</i> | P, S | Sand, Loam | Moist | 1' - 2' | Large white flower, yellow center | March - May |
| Jacob's Ladder | <i>Polemonium reptans</i> | S | Fertile Soils | Moist | 1' - 2' | Blue flowers | April - May |
| Pinkweed | <i>Polgonum pensylvanicum</i> | F | Various Soils | Moist | 1' - 3' | Pink flower clusters | March - May |
| Smooth Solomon's Seal | <i>Polygonatum biflorum</i> | P, S | Sand, Sandy Loam, Clay | Dry, Moist | 1' - 5' | White flowers, small black fruit | March - June |
| Common Mountain Mint | <i>Pycnanthemum virginianum</i> | P | Loam, Sand, Clay, Gravel | Moist | 2' - 3' | White flower clusters | July - August |
| Greenheaded Coneflower | <i>Rudbeckia laciniata</i> | F, P, S | Sand, Loam, Clay | Moist, Wet | 2' - 4' | Yellow flowers | July - Oct |
| Rose Gentian | <i>Sabatia angularis</i> | P | Sandy Soils | Moist | 1' - 2' | Pink flowers | July - Sept |
| Bloodroot | <i>Sanguinaria canadensis</i> | P, S | Fertile Soils | Moist, Wet | 1' - 2' | White flower, yellow center | March - April |
| Round-leaf Ragwort | <i>Senecio obovatus</i> | P, S | Loam, Clay | Moist | 1' - 2' | Yellow flower clusters | April - June |
| Fire Pink | <i>Silene virginica</i> | P | Rocky Soils | Dry, Moist | 1' - 2' | Bright red flowers | April - August |
| Blue-stemmed Goldenrod | <i>Solidago caesia</i> | F, P | Loam, Clay | Dry | 1' - 3' | Yellow flower | August - Oct |
| Canada Goldenrod | <i>Solidago canadensis</i> | F, P | Sand, Loam, Clay | Dry, Moist | 3' - 5' | Yellow flower clusters | Sept - Nov |
| Zigzag Goldenrod | <i>Solidago flexicaulis</i> | F, P, S | Various Soils | Moist | 2' - 4' | Yellow flower clusters | July - Oct |
| Early Goldenrod | <i>Solidago juncea</i> | F, P, S | Sandy Soils | Dry, Moist | 3' - 7' | Yellow flower clusters | June - August |
| Old Field Goldenrod | <i>Solidago nemoralis</i> | F, P, S | Sand, Loam, Clay | Dry | 1' - 2' | Yellow clustered flower heads | June - Oct |
| Germander | <i>Teucrium canadense</i> | P, S | Sand, Clay, Loam | Moist | 1' - 3' | White flowers on spike | May - August |
| Early Meadow Rue | <i>Thalictrum dioicum</i> | P | Fertile Soils | Moist | 1' - 3' | White hanging flowers | April - May |
| Large-flowered Trillium | <i>Trillium grandiflorum</i> | F, P, S | Sandy Loam | Moist | 1' - 2' | Large white flower | May - June |
| Sessile Trillium | <i>Trillium sessile</i> | S | Sand, Sandy Loam | Moist | 1' | Red flower | April |
| Early Horse Gentian | <i>Triosteum aurantiacum</i> | P | Loam, Rocky Soils | Moist, Dry | 2' - 4' | Red flowers | May - June |
| Large-flowered Bellwort | <i>Uvularia grandiflora</i> | P, S | Fertile Soils | Moist | 1' - 2' | Yellow hanging flowers | May |
| Tall Ironweed | <i>Vernonia gigantea</i> | F, P, S | Various Soils | Moist | 3' - 7' | Bright purple flower clusters | August - Oct |

Moist Areas

| | | | | | | | |
|------------------------|-------------------------------|---------|------------------|---------------|---------|--------------------------------------|----------------|
| Common Water Plantain | <i>Alisma subcordatum</i> | F | Clay, Loam | Moist, Wet | 1' - 3' | Small white flowers | June - Oct |
| Swamp Milkweed | <i>Asclepias incarnata</i> | F, P | Sand, Loam, Clay | Moist, Wet | 2' - 4' | Pink, purple flower clusters | June - Oct |
| Nodding Beggarticks | <i>Bidens cernua</i> | P | Clay, Loam, Sand | Moist | 1' - 3' | Yellow flowers | August - Oct |
| Common Beggarticks | <i>Bidens frondosa</i> | F, P | Fertile Soils | Moist | 1' - 3' | Yellow flowers | July - August |
| Wild Hyacinth | <i>Camassia scilloides</i> | P, S | Sand, Loam, Clay | Moist | 1' - 2' | White, blue, purple flower clusters | March - June |
| Cinnamon Willow Herb | <i>Epilobium coloratum</i> | F, P | Loam, Sand | Moist, Wet | 1' - 4' | Pink, white flowers | June - August |
| Mistflower | <i>Eupatorium coelestinum</i> | F, P | Loam, Sand, Clay | Moist | 1' - 3' | Blue, purple flower clusters | July - Nov |
| Joe Pye Weed | <i>Eupatorium fistulosum</i> | F, P | Sand, Loam, Clay | Moist, Wet | 3' - 7' | Large pink, purple flower head | July - Sept |
| Rose Mallow | <i>Hibiscus palustris</i> | F | Sand, Loam, Clay | Moist, Wet | 3' - 6' | Large pink flowers | July - Sept |
| Cardinal Flower | <i>Lobelia cardinalis</i> | F, P, S | Loam, Sand, Clay | Moist, Wet | 3' - 6' | Red flowers | May - Oct |
| Indian Tobacco | <i>Lobelia inflata</i> | F, P, S | Clay, Loam | Moist, Wet | 2' - 3' | Blue, purple flower clusters | June - Oct |
| Great Blue Lobelia | <i>Lobelia siphilitica</i> | F, P, S | Clay, Loam, Sand | Moist, Wet | 2' - 3' | Blue, purple flowers | July - Oct |
| Seedbox | <i>Ludwigia alternifolia</i> | F | Sandy Soils | Moist, Wet | 1' - 4' | Yellow flowers | June - Sept |
| Common Water Horehound | <i>Lycopus americanus</i> | F, P, S | Loam, Silt, Clay | Moist, Wet | 1' - 3' | Small white flowers | June - Sept |
| Wild Mint | <i>Mentha arvensis</i> | P | Sand, Loam, Clay | Moist, Wet | 1' - 2' | White, purple flower clusters | July - Sept |
| Monkeyflower | <i>Mimulus ringens</i> | F, P | Loamy Soils | Moist, Wet | 1' - 3' | Pink, purple flowers | June - Sept |
| Water Knotweed | <i>Polygonum amphibium</i> | F | Fertile Soils | Wet, Standing | 1' | Yellow, pink flower clusters | June - Sept |
| Lizard's Tail | <i>Saururus cernuus</i> | P, S | Fertile Soils | Moist, Wet | 2' - 4' | Tiny white flowers on tapering stalk | April - August |
| Swamp Goldenrod | <i>Solidago patula</i> | F, P, S | Clay, Sand, Loam | Moist, Wet | 2' - 6' | Yellow flower clusters | July - Sept |
| Blue Vervain | <i>Verbena hastata</i> | F, P, S | Various Soils | Moist, Wet | 2' - 5' | Blue, purple flowering rods | June - Sept |
| Wingstem | <i>Verbesina alternifolia</i> | F, P | Fertile Soils | Moist | 3' - 8' | Yellow flower, clustered head | August - Oct |