

Historic Preservation Office Approved Roofing Shingle List

Below is a list of shingles that have been reviewed by the Brewery District, German Village, Historic Resources, Italian Village and Victorian Village Commissions. These shingles may be administratively approved by Historic Preservation Office staff. Any shingle that is not on this list requires the submission of a shingle sample board and review by the appropriate commission at a regular monthly hearing. **All roofing projects require a Certificate of Appropriateness from the Historic Preservation Office and a Permit with the Building and Zoning Services Division (645-6090) before work begins.**

MANUFACTURER	STYLE	COLOR
	Natural Slate	Traditional Slate Color Palette
CertainTeed	Carriage House (dimensional)	Stonegate Gray
GAF	Slateline (dimensional)	English Gray Slate Weathered Slate
CertainTeed	(standard 3-tab)	Nickel Gray
GAF	Royal Sovereign (standard 3-tab)	Nickel Gray
Owens Corning	(standard 3-tab)	Estate Gray
Tamko	(standard 3-tab)	Antique Slate
GAF	TruSlate [*]	Mystic Grey Greystone

* TruSlate is not currently administratively approvable in the German Village Historic District.

NOTES:

- Slate shingles are an administrative approval for replacement of existing deteriorated slate roofs and for replacement of non-original asphalt shingle roofs in consultation with Historic Preservation Office staff and in accordance with applicable guidelines.
- All hips and ridges to be capped with galvanized metal ridge roll, not cut shingle tabs. All ridge roll is to extend to the ridge edges (i.e., flush with the fascia).
- Any/all necessary venting is to be CobraVent, VentSure, or comparable, installed on the roof ridges only, underneath the metal ridge roll per manufacturer's specifications.
- If ridge venting is not sufficient, contact the Historic Preservation Office before installation of any/all venting systems. (Hat-vents and/or soffit vents are not included in the Approved Shingles List specifications.)
- All metal ridges, valleys, and flashing are to be painted "Tinner's Red" or "gray" to match shingles as closely as possible.

For assistance or additional information, please contact the Historic Preservation Office staff at the **General Office Number at 645-8620**, or go to <http://columbus.gov/historicpreservation>, and **click on Historic Preservation Office Staff** for all **H. P. O. staff phone numbers**.