

 <p>THE CITY OF COLUMBUS DIVISION OF FIRE</p>	Code Compliance Guideline	
	Temporary Door Locking Devices	
	Fire Prevention Bureau 3639 Parsons Ave Columbus, Ohio 43207 (614)645-7641 Ext. 7-5610 www.columbus.gov	Issued: 6/1/2023 Revised: 6/15/2023 **Permit Required**

School Name: _____

School Address: _____

School IRN: _____

Model of Door Locking Device: _____

Number of Temporary Locking Devices: _____

Insert link to web page of the door locking device

This signature verifies that the school has taken the appropriate actions to fulfill the obligations of the Ohio Fire Code (404.2.2) and the Ohio Building Code (1010.4)

Applicable Fire and Building Codes

404.2.2(b) Procedures for occupants under a defend-in-place response, including the type, location, and operating instructions of temporary door locking devices, if any. However, this paragraph shall not be construed to give the fire code official authority to approve or prohibit the use of any temporary door locking device approved and used in conformance with the rules developed by the Ohio Board of Building Standards.

1010.2.8 Locking arrangements in educational occupancies.

In Group E occupancies, Group B educational occupancies and Group I-4 occupancies, egress doors from classrooms, offices and other occupied rooms with locking arrangements designed to keep intruders from entering the room shall comply with all of the following conditions:

- 1.The door shall be capable of being unlocked from outside the room with a key or other approved means.
- 2.The door shall be openable from within the room in accordance with Section 1010.2.
- 3.Modifications shall not be made to listed panic hardware, fire door hardware or door closers.
- 4.Modifications to fire door assemblies shall be in accordance with NFPA 80.

Office Use Only: Signature of Fire Official _____

Permit not valid unless signed by a member of the Fire Prevention Bureau