




City of Columbus
Division of Power and Water
910 Dublin Road
Columbus, OH 43215

PRST STD
U.S. POSTAGE
PAID
COLUMBUS, OH
PERMIT NO. 8090



2007
Drinking Water
Consumer Confidence Report

Division of Power and Water
Greater Columbus Area

Your 2007 Water Report

The goal of the Division of Power and Water is to ensure that any contaminants in your drinking water are restricted below a level at which there is no known health risk. This report shows the types and amounts of key elements in your water supply, their likely sources and the maximum contaminant level (MCL) that the EPA considers safe.

The water delivered to your home meets ALL of the requirements of the Safe Drinking Water Act (SDWA). We use a complex, multi-barrier treatment process to assure safe drinking water is delivered to our customers. If, for any reason, the standards are not met, the public will be notified.

*If you have any questions about this data please call the **Columbus Water Quality Assurance Lab** at (614) 645-7691, or www.utilities.columbus.gov*

Sewer and Water Advisory Board

In 1984, the City of Columbus formed the Columbus Sewer and Water Advisory Board to oversee the operations and rate structures of both the Divisions of Power and Water and Sewerage and Drainage. The board, comprised of city officials and six Columbus residents who represent different constituencies — such as senior citizens and the business community — meets quarterly to advise the Divisions on business decisions and best practices. Chaired by Ohio State University's Wallace Giffen, the board forwards their recommendation to Columbus City Council, who then deliberate to officially set rates or change fundamental policy.

The Sewer and Water Advisory Board meetings are open to the public. Call (614) 645-3956 for a schedule of meeting times and dates.



How to Contact Us

City of Columbus Division of Power and Water

910 Dublin Road • Columbus, OH 43215

Water Quality Assurance Laboratory

(614) 645-7691

- Water Quality Monitoring Questions
- Regulatory Inquiries
- Taste/Odor/Colored Water Concerns

Customer Service

(614) 645-8270

- Customer Billing Inquiries
- Open/Close Accounts
- Schedule Service Calls
- Process Bill Payments

Distribution/Maintenance

(614) 645-7788

- Water Emergencies (evenings/weekends)
- Report Waterline Breaks
- Report Hydrant Damage or Leaks

Michael B. Coleman

Mayor, City of Columbus

Tatyana Arsh, P.E.

Director, Department of Public Utilities

Richard C. Westerfield, P.E., PhD.

Administrator, Division of Power and Water

This report can also be found on our website at www.utilities.columbus.gov. Just click on "Consumer Confidence"



311 Call Center

The Call Center is the single point of contact for requesting all non-emergency City services and is available to residents, businesses, and visitors. Just dial 3-1-1 (or 614-645-3111), or visit on the web at www.311.columbus.gov.




Get Green Columbus

Sets forth the city's commitment to making Columbus a greener place to live. Visit www.getgreencolumbus.org to learn more.

This report meets the EPA's National Primary Drinking Water Regulation for Consumer Confidence Reports.





The Water Treatment Process

We treat water as a precious resource

Water flows (1) to the treatment plant from the reservoir or stream through rotating screens (2) to remove large debris. It is then pumped into the plant where alum is added (3) to cause coagulation. After rapid mixing, the water remains in the settling basin (4) while sedimentation of floc occurs (2-4 hours). The water treatment residual (settled floc) is pumped from the bottom of the pools and stored in holding lagoons to dry. The softening process (5) involves the addition of sodium carbonate (soda ash) or caustic soda and hydrated lime to remove calcium and magnesium ions that are responsible for water hardness. This process takes an additional 2-4 hours. For each pound of chemical used in the treatment process, two pounds are removed. After an additional sedimentation process, carbon dioxide is added (6) to lower the pH level to approximately 7.8. Water is held in a stabilizing basin (7) for another 2-4 hours. Water then flows through large dual-media rapid sand filters made up of layers of gravel, sand and anthracite coal (8). Addition of chlorine to disinfect the water, fluoride to protect teeth and a corrosion inhibitor take place at the end of the process (9) before water enters large underground clearwells (10) to be held until needed by the community (11).

Please note: When ground water is used (as in the case of the Parsons Avenue Water Plant), neither screening (2) nor initial sedimentation (3,4) is needed.

Source Water Assessment Information

A high-quality source water supply allows the Division of Power & Water to provide consumers with quality water at a reasonable cost. Protecting our raw water sources requires investments to secure the needs of a growing population, now and in the future. As part of its on-going efforts to maintain regulatory compliance and monitor our water supply, the Division of Power and Water has completed a Source Water Assessment process. Below is a synopsis of the results:

The City of Columbus water system uses surface water from the Scioto River and Big Walnut Creek, as well as ground water pumped from sand and gravel deposits of the Scioto River Valley. All three sources of water have a relatively high susceptibility to contamination from spills or releases of chemicals. The ground water pumped at the Parsons Avenue plant is susceptible (compared to other ground water systems) because there is no significant clay overlying and protecting the aquifer deposits. The Scioto River and Big Walnut Creek are even more susceptible because they are more accessible and less protected from spills.

The drinking water source protection areas for the City of Columbus' three water sources contain numerous potential contaminant sources, especially the protection area for the Dublin Road Water Treatment Plant (extending along the Scioto River). These include industrial activities, storm water runoff from developing areas, and a heavily traveled transportation network running alongside and over the water bodies. Run-off from agricultural fields is a concern in both the Scioto River and Big Walnut Creek watersheds.

The City of Columbus treats the water to meet drinking water quality standards, but no single treatment protocol can address all potential contaminants. The City has been proactive in pursuing measures to further protect its source waters. These include land stewardship programs and incentive-driven programs to reduce erosion and run-off of pesticides and fertilizers into the Scioto River and Big Walnut Creek and their reservoirs. More detailed information is provided in the City of Columbus' Drinking Water Source Assessment Report, which can be viewed by calling the Watershed section at (614) 645-1721.

Common Water Quality Concerns

Rusty Water

It is important to note that when rusty water is experienced it is normally not a health concern but one of aesthetic quality. Rusty-brown, orange, or light yellow water can be caused by a variety of reasons including: water main breaks, fire fighting operations, hydrant flushing or broken hydrants, construction work or damage, system depressurizations, and corroding iron pipes. Normally rusty water events dissipate in 4-6 hours but could last longer depending on water usage in the area. If the event lasts more than 24 hours please call our distribution group at (614) 645-7788.

During such an event, it is of little to no value for you to run your water until it turns clear; this is wasteful and costly to you as a consumer. During such events, use of HOT water should be kept to a minimum, as it will draw cold rusty water into your hot water tank. If your hot water tank does have rust in it, use caution and please follow the manufacturer's directions for shutting down, draining, and re-starting your hot water tank.

Clothing washed in rusty water can become stained. Should this occur, it is important to not dry the clothing. Instead, leave the wet clothing in the washer and apply an iron removal product as soon as possible to prevent the iron stain from setting. Please follow the manufacturer's instructions.

Fluoridation

Fluoride is added during water treatment in accordance with the American Dental Association's findings and recommendations regarding significant cavity reduction in the population. In 1970 a state law was passed which allowed local government to permanently adopt fluoridation for their local water systems. The City of Columbus voted to fluoridate beginning January 1973. Since then, the fluoride concentration in Columbus water has averaged 1 ppm.

Musty Taste & Odor

Occasionally Columbus water has an earthy, musty or fishy taste and odor. These seasonal phenomena can be caused by the bi-annual turnover of our city reservoirs, or with the presence of varied algal blooms in the reservoirs or rivers. It is important to note this taste and odor poses no health concern. Advanced treatment techniques involving powder activated carbon and remote real-time sensors are being used to help mitigate this problem.

Water Hardness

Hardness is a measure of the presence of the minerals calcium and magnesium in water. As water moves through or over the earth, it picks up these minerals and causes the water to become "hard." The usage of the word "hard" in this case refers to the difficulty with which the water produces soapsuds, with successively harder water requiring more and more soap.

The City of Columbus softens its water on average to 120 ppm, or approximately 7 grains per gallon. This is considered moderately hard by national standards and is optimal for corrosion control. Very soft water can be corrosive to home plumbing.

White Particles

White or grayish particles in your water can often be attributed to two different sources, both of which pertain to the condition of the hot water tank. There is no health risk associated with either situation. The characteristics of the particles will help determine the source. If you have white, gray, or dark gray particles that give off bubbles when submerged in white vinegar, you most likely have calcium carbonate particles. These particles are often formed from the hardness of Columbus water when it is heated over 140 degrees Fahrenheit (60 degrees Celsius) in your hot water tank. To help prevent it, you should turn the temperature down on the tank. If your hot water tank has calcium carbonate deposited in it, use caution and follow the manufacturer's directions for shutting down, draining, and re-starting your hot water tank.

If you have white particles that reduce water flow by clogging the aerators on your faucets, and that do not give off bubbles when submerged in white vinegar, you most likely have a disintegrating dip-tube. These particles are formed when the plastic dip-tube from the hot water heater degrades and disintegrates in the tank. Please consult with your tank's manufacturer. You will need to have the dip-tube replaced either by the manufacturer, or a qualified technician.



Average cost for 5 gallons of Columbus drinking water delivered to your home is 1¢

Pink or Dark Stains in the Toilet or on Fixtures

Airborne organisms are usually the cause. You will see grey, black, or sometimes pink film on surfaces that are regularly moist, including toilet bowls, showerheads, sink drains, dishwashers, and shower tiles. These organisms are controlled with normal drinking water disinfectants and, therefore, are not found in the water but can come from dust or dirt that is airborne. Regular cleaning and ventilation should reduce these nuisance organisms.

Chlorinous Taste & Odor

The City of Columbus has a long and successful history of water treatment involving the chemical chlorine. The Water Quality Assurance Laboratory and the city water plants check the chlorine content throughout the city daily to insure the highest quality control. Without proper initial disinfection and continuing residual protection in the distribution system, the city's entire water distribution system would become vulnerable to bacteriological organisms.

If the taste or odor is found to be objectionable, it should be noted that you could eliminate the taste of chlorine in your water by setting an open pitcher in your refrigerator overnight.

Cloudy Water

Cloudy water is usually caused by temperature change and the presence of dissolved air in the water. When water appears to have a milky white, gray, or carbonated appearance a simple test may suffice to denote its origin. Fill a clear glass with tap water and observe it over a minute or so. If the glass clears from bottom to top, then it is dissolved air escaping into the atmosphere. There is no health risk associated with this situation. Cloudy water is very common in the winter and can last for quite a long time.



Comparison Chart for Water Usage and Savings

	Normal Water Usage		Conservation Usage		Savings
	Gals. Used	Method	Gals. Used	Method	
Shower (10 mins.)	50	Shower head running continuously	25	Shorter showers (5 min) (OR)	50%
			25	Low flow shower head (10 min) (OR)	50%
			12.5	Low flow shower head (5 min)	75%
Tub Bath	36	Standard tub, full	18	Standard tub, half full	50%
Toilet Flushing	5-7	Depends on tank size	4-6	Use a displacement bag, or milk jug in tank reservoir (OR)	20%
			1.6	Replace with low flow toilet	73%
Washing Hands	5	With tap running continuously	1	Fill a standard basin	80%
Brushing Teeth	10	With tap running continuously	1	Wet brush with brief rinses	90%
Shaving	20	With tap running continuously	1	Fill a standard basin	95%
Washing Dishes	30	With tap running continuously	10	Wash and rinse with a half filled standard sink	66%
Dishwasher	16	Full cycle	7	Short cycle	56%
Washing Machine	60	Full cycle; Highest water level	27	Short cycle	55%
Outdoor Watering	10	Per minute; Average garden hose	varies	Eliminate, night watering, etc.	varies

Less than 1% of the world's fresh water supplies are available for human consumption

Sulfurous Taste & Odor

The most likely cause of a sulfurous or rotten-egg like odor is from either the water trap below the sink (i.e. the 'P-trap') or from within the faucet itself. As organic material settles in the water trap beneath the sink a sulfurous or rotten egg smell is often mistakenly perceived as coming from the water. The best way to test this theory is by filling a glass of water at the sink and then smelling it in a different room, away from the sink. If the smell disappears, then the problem is most likely in the sink itself. Pouring a ¼ cup of bleach down the drain and allowing it to sit overnight should help to relieve the problem. Cleaning the aerator is also recommended. It is important to note that this odor is normally not a health concern but one of aesthetic quality.

Be Informed About Water Treatment Devices

The Columbus Division of Power and Water is responsible for the quality of your drinking water. We take this job very seriously. The water treatment plants and laboratories are staffed by certified, highly trained, professional chemists, biologists and plant operators who perform hundreds of tests each day to assure the quality of Columbus drinking water. As a result of our rigorous treatment process and our compliance with federal and state regulations, we are confident the water you are receiving is of the highest quality.

There are a variety of home water treatment devices on the market and each varies in its ability to change the content of the water. If you choose to purchase a home treatment device, independently research the product to make sure it does what YOU intend it to do.

Ion Exchange water softeners exchange sodium ions for naturally occurring magnesium and calcium ions in your water. If you are on a low sodium diet, consult your physician before purchasing this type of water softener. We soften the water at the plants to an OEPA recommended moderate hardness of 7gpg (grains per gallon). Water that is too soft can be corrosive to the distribution system and to your home plumbing and fixtures. Activated carbon filters can be used to remove some taste and odors, but if not maintained properly, they can become breeding grounds for microorganisms.

If you believe you have been solicited by a company that is using misinformation or scare tactics to sell a home treatment device, contact the State Attorney General's Office at 1(800) 282-0515 or www.ag.state.oh.us to report your concern. CALL US: if you have questions about Columbus' water quality. The Division of Power and Water's Water Quality Assurance staff will be happy to answer your questions at (614) 645-7691. CALL THE EPA: for additional information on drinking water regulations — EPA's Safe Drinking Water Hotline is 1(800)426-4791.



Primary Drinking Water Standards

Substances we detected (units)	When we checked	What's allowed? (MCL)	What's the goal? (MCLG)	Dublin Road Water Plant		Hap Cremean Water Plant		Parsons Avenue Water Plant		Violation?	Where did it come from?
				Level Found	Range	Level Found	Range	Level Found	Range		
Fluoride (ppm)	2007	4	4	1.16	0.77–1.16	1.16	0.64–1.16	1.11	0.94–1.11	No	Water additive – protects teeth
Nitrate (ppm)	2007	10	10	5.3	<0.5–5.3	1.5	<0.5–1.5	ND	ND	No	Agricultural fertilizer runoff
Simazine (ppb)	2007	4	4	<0.10	<0.10–0.24	0.47	<0.10–1.05	ND ¹	ND ¹	No	Agricultural herbicide runoff
Atrazine (ppb)	2007	3	3	0.43	<0.10–1.25	0.45	<0.10–1.33	ND ¹	ND ¹	No	Agricultural herbicide runoff
Alachlor (ppb)	2007	2	0	ND	ND	ND	ND	ND ¹	ND ¹	No	Agricultural herbicide runoff
Metolachlor (ppb)	2007	No set level	No goal set	<0.20	<0.20–0.54	<0.20	<0.20–0.28	ND ¹	ND ¹	No	Agricultural herbicide runoff
Metribuzin (ppb)	2007	No set level	No goal set	ND	ND	ND	ND	ND ¹	ND ¹	No	Agricultural herbicide runoff
Chloroform (ppb)	2007	No set level	0	20.6	N/A	17.5	N/A	1.9 ¹	N/A	No	By-product of drinking water disinfection
Bromodichloromethane (ppb)	2007	No set level	0	2.8	N/A	3.5	N/A	4.0 ¹	N/A	No	By-product of drinking water disinfection
Dibromochloromethane (ppb)	2007	No set level	60	< 0.5	N/A	< 0.5	N/A	5.8 ¹	N/A	No	By-product of drinking water disinfection
Bromoform (ppb)	2007	No set level	0	< 0.5	N/A	< 0.5	N/A	2.6 ¹	N/A	No	By-product of drinking water disinfection
Total Trihalomethanes (ppb)	2007	80	No goal set	50.2	26.0–97.1	51.8	33.0–72.7	14.1	10.9–25.6	No	By-product of drinking water disinfection
Total Haloacetic Acids (ppb)	2007	60	No goal set	38.4	24.3–53.0	49.0	37.2–65.1	3.8	1.4–6.0	No	By-product of drinking water disinfection
Total Alpha (pCi/L)	2003	15	0	< 3	N/A	< 3	N/A	< 3 ²	N/A	No	Erosion of natural deposits
Total Beta (pCi/L)	2003	50	0	8.5	N/A	4.6	N/A	N/A	N/A	No	Decay of natural and man-made deposits
Total Organic Carbon	2007	TT (removal ratio > 1)	No goal set	2.14	1.70–2.59	2.05	1.83–2.46	N/A	N/A	No	Naturally present in environment
Total Coliform Bacteria	2007	Present in <5% of monthly samples	0%	1.7% ³	0–1.7%	0.6% ⁴	0.0–0.6%	2.3% ⁵	0.0–2.3%	No	Bacteria present in environment
Total Chlorine (ppm)	2007	4 (MRDL)	4 (MRDLG)	1.52	0.38–2.03	1.58	0.33–2.70	1.13	0.21–2.08	No	Disinfectant
Turbidity (NTU)	2007	TT (<1 NTU)	No goal set	2.80 ⁶	0.04–2.80	0.20	0.03–0.20	N/A	N/A	Yes ⁶	Soil runoff
		TT (% meeting Std.)	No goal set	92% ⁶	92–100%	100%	100–100%	N/A	N/A		

The Initial Distribution System Evaluation (IDSE) is for establishing future regulatory monitoring sites (12 month study beginning September 2007)⁷

Substances we detected (units)	When we checked	MCL	MCLG	Range in the Water Distribution System for Columbus	Violation?	Where did it come from?
IDSE TTHM (ppb)	2007	N/A	N/A	11.8–93.0	N/A	By-product of drinking water disinfection
IDSE THAA (ppb)	2007	N/A	N/A	3.0–56.2	N/A	By-product of drinking water disinfection

¹ 2005 Data, Not required to monitor in 2007.

² 2002 Data, Not required to monitor in 2007.

³ Two (2) samples out of 119 in December 2007 indicated the presence of coliform bacteria = 2/1545 for the year.

⁴ One (1) sample out of 154 in July 2007 indicated the presence of coliform bacteria = 1/1883 for the year.

⁵ One (1) sample out of 43 in December 2007 indicated the presence of coliform bacteria = 1/571 for the year.

⁶ Treatment Technique Violation: Water samples on March 6th, 2007 from the DRWP showed turbidity levels of 2.80 turbidity units. This is above the EPA standard of one (1) turbidity unit. Also, eight percent of the turbidity measurements for the month of March exceeded 0.3 turbidity units. Water supplied by the Hap Cremean and Parsons Avenue Water Plants did not exceed the TT.

⁷ Under the Stage 2 Disinfectants/Disinfection Byproducts Rule (D/DBPR), our public water system was required by the USEPA to conduct an evaluation of our distribution system. This is known as an Initial Distribution System Evaluation (IDSE), and is intended to

identify locations in our distribution system with elevated disinfection byproduct concentrations. The locations selected for the IDSE may be used for compliance monitoring under Stage 2 DBPR, beginning in 2012. Disinfection byproducts are the result of providing continuous disinfection of your drinking water and form when disinfectants combine with organic matter naturally occurring in the source water. Disinfection byproducts are grouped into two categories, Total Trihalomethanes (TTHM) and Haloacetic Acids (HAA5). USEPA set standards for controlling the levels of disinfectants and disinfectant byproducts in drinking water, including both THMs and HAAs.


Other Water Quality Parameters of Interest

Substances we detected (units)	When we checked	What's allowed? (MCL)	What's the goal? (MCLG)	Dublin Road Water Plant		Hap Cremean Water Plant		Parsons Avenue Water Plant		Where did it come from?
				Annual Avg.	Range	Annual Avg.	Range	Annual Avg.	Range	
pH (units)	2007	7.0–10.5 (SMCL)	No goal set	7.7	7.7–7.8	7.8	7.7–7.8	7.8	7.7–7.9	Treatment process
Hardness (ppm) (gpg)	2007	No set level	No goal set	118	116–120	102	91–122	122	120–123	Naturally occurring
				6.9	6.8–7.0	6.0	5.3–7.1	7.1	7.0–7.2	
Sodium (ppm)	2007	No set level	No goal set	57	30–94	14	11–22	59	45–74	Natural/Treatment process

If you have any questions about this data please call the Columbus Water Quality Assurance Lab at (614) 645-7691, or www.utilities.columbus.gov.




Definitions and Terms

Action Level (AL)	The concentration of a contaminant, which if exceeded, triggers treatment or other requirements that a water system must follow.	Grains per Gallon (gpg)	A non-metric unit of measurement for hardness used in North America.
Maximum Contaminant Level Goal (MCLG)	The level of a contaminant in drinking water, below which there is no known or expected health risk. MCLGs allow for a margin of safety.	pCi/L	Picocuries per liter (a measure of radiation.)
Maximum Contaminant Level (MCL)	The highest level of contaminant that is allowed in drinking water. MCLs are set as close to the MCLG as feasible using the best available treatment technology.	MRDL	Maximum Residual Disinfectant Level: The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.
Secondary MCL (SMCL)	A nonenforceable numerical limit set by the USEPA for a contaminant on the basis of aesthetic effects to prevent an undesirable taste, odor, or appearance.	MRDLG	Maximum Residual Disinfectant Level Goal: The level of drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.
N/A	Not Applicable	The ">" symbol	This symbol means "greater than."
ND	No Detect	The "<" symbol	This symbol means "less than". For example, a result of < 5 means that the lowest level that could be detected was 5 and the contaminant in that sample was not detected.
NTU	Nephelometric Turbidity Unit (a measure of particles held in suspension in water.)	Treatment Technique (TT)	A required process intended to reduce the level of a contaminant in drinking water. For Total Organic Carbon (TOC) the level must be above 1. For turbidity the level must be under 0.3 NTU 95% of the time, and always < 1 NTU.
Parts per Billion (ppb) or Micrograms per Liter (ug/L)	Are units of measurement for concentration of a contaminant. A part per billion corresponds to one second in roughly 31.7 years.	Turbidity	Is a measurement of the cloudiness of the water. We monitor turbidity because it is a good indication of water quality and the effectiveness of our treatment process.
Parts per Million (ppm) or Milligrams per Liter (mg/L)	Are units of measurement for concentration of a contaminant. A part per million corresponds to one second in roughly 11.5 days.		



Water Service Area for the City of Columbus

The sources of drinking water (both tap and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity. Each home, school and business in the greater Columbus area receives water from one of the following three water plants:

-  **Dublin Road Water Plant (DRWP)** serves northwest and southwest residents using water from the Griggs and O'Shaughnessy Reservoirs.
-  **Hap Cremean Water Plant (HCWP)** serves OSU and northern residents. The source is the Hoover Reservoir.
-  **Parsons Avenue Water Plant (PAWP)** draws water from wells and serves residents in the southeast.

What's NOT in Your Water

Reports on TV and in the press often raise concerns about the health risks associated with the presence of certain minerals, chemicals, or other contaminants in your food or water. The Columbus Division of Power and Water performs thousands of tests each year to ensure drinking water quality. Many substances, for which the Division tests, never appear in this report because they are not found in the drinking water. For example, there are 51 volatile organic chemicals as well as arsenic, perchlorate, asbestos, MTBE, radium 228, and ammonia (just to name a few) that are NOT found in your drinking water.

Contaminants that may be present in source water include: microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban storm water runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm water runoff, and residential uses; organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban storm water runoff, and septic systems; and radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, USEPA prescribes regulations which limit the amount of certain contaminants in drinking water provided by public water systems. FDA regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1(800) 426-4791.

Newborns and Nitrate



Nitrate in drinking water at levels above 10 ppm is a health risk for infants less than six months of age. High nitrate levels in drinking water can cause blue baby syndrome. Nitrate levels may rise quickly for short periods of time because of rainfall or agricultural activity. Local television, radio and print media will be notified within 24 hours if the level of nitrate rises above 10 ppm. The media will similarly be notified once the level decreases. If you are caring for an infant you should seek advice from your health care provider.

None of the water supplied by the Columbus water plants exceeded the nitrate MCL in 2007.

Lead in the Home



The lead concentration in the drinking water leaving our water treatment plants is below the level of detection. However, lead can enter the water from household brass fixtures, lead pipes, or lead solder, when water resides in the plumbing for more than six hours. Most homes in the Columbus area do not have lead service lines and have little to no detectable levels of lead in their tap water. Infants and young children are typically more vulnerable to lead in drinking water than the general population. It is possible that lead levels at your home may be higher than at other homes in the community as a result of materials used in your home's plumbing. If you are concerned about elevated lead levels in your home's water, you may wish to have your water tested. Additionally, flush your tap water for at least two (2) minutes before using it. More information is available from the Safe Drinking Water Hotline at 1 (800) 426-4791, found on the web at www.epa.gov/safewater/lead. Call us at (614) 645-8270 or visit our website for a copy of "What You Need to Know about Lead in Drinking Water."

Turbidity



Utilities that treat surface water and/or filter the water are required to monitor for turbidity, which is a measure of the cloudiness of water and is an indication of the effectiveness of the filtration system. Turbidity has no health effects. However, turbidity can interfere with disinfection and provide a medium for microbial growth. Turbidity may indicate the presence of disease-causing organisms. These organisms include bacteria, viruses and parasites that can cause symptoms such as nausea, cramps, diarrhea, and associated headaches.

The turbidity limit set by the EPA is 0.30 NTU in 95% of the daily samples and shall not exceed 1 NTU at any time. The highest recorded turbidity for HCWP was 0.20 NTU and the lowest monthly percentage of samples meeting the standard was 100%. In March, 2007, the DRWP experienced a treatment technique violation for turbidity. The finished water turbidity for the month of March was 0.30 NTU in 92% of the daily samples, and the maximum reading for the month was 2.80 NTU on March 6th, 2007. New treatment procedures are in place to prevent future violations under similar water quality conditions.

Total Organic Carbon



The value reported under "Level Found" for Total Organic Carbon (TOC) is the lowest running annual average ratio between the percentage of TOC actually removed to the percentage of TOC required to be removed. A value of greater than one indicates that the water system is in compliance with TOC removal requirements. A value of less than one indicates a violation of the TOC removal requirements. The value reported under "Range" for TOC is the lowest monthly ratio to the highest monthly ratio.

Health Concerns



Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised individuals such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, persons with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infection. These people should seek advice from their health care providers about drinking water.

Cryptosporidium ("Crypto"), for example, is a microscopic organism that, when ingested, can result in diarrhea, fever, and other gastrointestinal symptoms. Crypto comes from animal waste in the watershed and may be found in our source water. The last time the Columbus Division of Power and Water had any possible detections of Crypto was in the Spring of 2007, when there was one unconfirmed detection of the organism in the Scioto River. Crypto is eliminated by using a multi-barrier water treatment process including coagulation, sedimentation, softening, filtration and disinfection. EPA/CDC guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* and other microbial contaminants are available from the Safe Drinking Water Hotline at 1(800) 426-4791.

Columbus' water is regularly tested for organisms that could be harmful to people — including *Cryptosporidium*. While it is sometimes found in Ohio rivers and streams, Crypto has NEVER been found in our finished drinking water.

Water Quality Assurance



The City of Columbus' Water Quality Assurance Laboratory (WQAL) is a large, modern water lab with a long history of distinguished public service starting under the noted water quality chemist Charles Hoover. The lab continues to maintain that tradition of excellence and technical innovation in the ongoing use of state-of-the-art equipment for water analysis, while continuing to research the latest advancements in water treatment techniques.

The WQAL performs water quality monitoring and treatment research to ensure that Columbus drinking water meets or is better than all federally mandated Safe Drinking Water Act (SDWA) standards. The WQAL also provides water quality information to the water treatment plants and addresses customer complaints and inquiries regarding water quality. In 2007, the WQAL's EPA licensed and certified laboratory staff completed over 42,500 analyses relating to 29 different organic, inorganic, and microbiological water quality parameters.

To maintain compliance with current SDWA regulations, WQAL activities in 2007 were directed at developing information regarding new and upcoming rules. These include the Unregulated Contaminant Monitoring Rule (UCMR), Stages 1 and 2 of the Disinfectant/Disinfection Byproducts Rule (D/DBP), and the Long Term 2 Enhanced Surface Water Treatment Rule (LT2ESWTR). Additionally, the lab has been closely involved in planning the improvement of watershed and water distribution system surveillance and detection measures for security concerns in the wake of the 9/11 attacks and their associated heightened security protocols.

As with the WQAL staff, the State of Ohio licenses and certifies the water plant operators who are charged with running and maintaining each of the three water treatment plants. These operators also perform the critical task of treatment and process monitoring to insure that the water leaving the plant is of the highest quality. In order to stay current in the ever-changing technical field of water purification, these operators spend many hours of continuing education in the classroom every year.

These operators,
the Water Quality Assurance
Laboratory staff, and all of the
Division of Power & Water employees
are dedicated to providing WATER,
a life-sustaining resource,
for the well-being and economic
vitality of the community.

This is our mission.



Printed on 30% Post
Consumer Recycled Fiber