


Commission on Black Girls

Mysheika W. Roberts, MD, MPH
Health Commissioner



African American Girls in our Community

- Approximately 29,000 non-Hispanic adolescent African American females (age 10-24) live in Franklin County.
 - 23% of females age 10 to 24 are non-Hispanic African American.

Source: U.S. Census Bureau, 2012-2016 American Community Survey, 5-Year Estimates.

Social Determinants of Health

Poverty

- 29% of Franklin County females age 12-24 live in poverty.
- 37% of African American adolescent females live in poverty compared to 25% of white adolescent females.

Source: US Census Bureau, American Community Survey 2012-2016 5-Year Estimates

Access to Care

African American

White

5.0 | **4.1**

% of individuals **age 6 to 17** do not have health insurance coverage

African American

White

16.3 | **6.6**


% of individuals **age 18 to 24** do not have health insurance coverage



Source: US Census Bureau, American Community Survey 2016 1-Year Estimates

Reproductive Health

Franklin County Births Maternal Age 15-24



Source: Ohio Department of Health Vital Statistics, 2008-2017, Analysis by Office of Epidemiology, Columbus Public Health

Reproductive Health

Reproductive Health Franklin County Females Age 15-24

Indicator	Year	All	African American*	White*
Abortion Rate (per 1,000)	2016	13.6	25.4	9.0
Percent of Babies born Low Birth Weight	2013- 2017	10.5%	13.2%	8.6%

*Races were designated as non-Hispanic African American and non-Hispanic White, respectively, for low birth weight percentages.
Source: Ohio Department of Health.


Sexually Transmitted Infections

- 10 to 24 year olds accounted for 75% of Chlamydia cases among African American females between 2013 and 2017.
- 10 to 24 year olds accounted for 67% of Gonorrhea cases among African American females between 2013 and 2017.

Source: Ohio Disease Reporting System. Confirmed Cases of Chlamydia and Gonorrhea in Franklin County.
Analysis by Office of Epidemiology, Columbus Public Health.

Sexually Transmitted Infections

Confirmed Chlamydia Infection Franklin County Females Age 10-24



Source: Ohio Disease Reporting System. Confirmed Cases of Chlamydia in Franklin County. Analysis by Office of Epidemiology, Columbus Public Health.

Deaths

- Deaths of adolescent, non-Hispanic African American females accounted for less than 10% of all deaths in Franklin County between 2013 and 2017.
 - 32% of adolescent female deaths (ages 10-24) were non-Hispanic African American.

Source: Ohio Department of Health Vital Statistics, 2013-2017, Analysis by Office of Epidemiology, Columbus Public Health

Leading Causes of Death

Franklin County Females, Age 10-24

<i>All</i>	<i>African American</i>	<i>White</i>
1. Accidents 2. Suicide	1. Accidents 2. Homicide	1. Accidents 2. Suicide

Source: Ohio Department of Health Vital Statistics, 2013-2017, Analysis by Office of Epidemiology, Columbus Public Health

MG1

Slide 10

MG17

Corrected citation


Michelle G, 8/10/2018

CPH Works with Adolescent African American Girls

- CARE Coalition
- Violent Crime Review Group
- Injury Prevention
- Infant Mortality Prevention
- Clinics
 - Immunizations
 - Women's Health
 - Sexual Health

CPH Works with Adolescent African American Girls

Visits with African American Females Age 11-22



Source: Columbus Public Health, Clinical Health Division. 2015-2017.

Questions?

Mysheika W. Roberts, MD, MPH
Health Commissioner

